INDEXES TO THE JOURNAL AND COMMUNICATIONS

compiled by

The American Ceramic Society

VOLUME 68, 1985

AUTHOR INDEX TO THE JOURNAL AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of the *Journal* and *Communications*; numbers following are *page* numbers.

Abderrazik, G. Ben; Millot, F.; and Moulin, G.
Determination of transport properties of alumina oxide scale. (6) 307; Experimental procedure for determining transport properties of oxide scales. (6) 302

Abe, Yoshihiro See Hosono, Hideo

Abou El Leil, Mahmoud M.; Camaratta, Frank A.; and DiGenova, Rocco R.
Impact fracture of thermally tempered glass helicopter windshields. (1) C18

Adams, Janes W.; Nakamura, H. Henry; and Ingel, Robert P.
Thermal expansion behavior of single-crystal zirconia. (9) C228

Agrawal, Dinesh K. See Lenain, Gerard E.

Agren, John See Bergman, Bill

Akashi, Tamotsu; Lotrich, Victor; and Sawaoka, Akira
Shock consolidation of coarse SiC powder. (12) C322

Aldebert, Pierre; and Traverse, Jean-Pierre
Structure and ionic mobility of zirconia at high temperature. (1) 34

Alexander, Michael N. See Onorato, Paulette I. K.

Amin, Ahmed; and Shukla, Vishwa
Effects of mechanical processing on semiconducting properties of barium titanate. (7) C167

Angel, Paul W.; Ray, Chandra S.; and Day, Delbert E.
Glass formation and properties in the system calcia gallia germania. (11) 637

Arai, Daikichi See Hirashima, Hiroshi

Arora, Satish K.; Batra, Naresh M.; and Rao, G. S. Trivikrama
Flux growth of calcium molybdate single crystals. (9) C240

Ashida, Toshifumi See Suyama, Ryuji

Badger, William B.; and Hummel, Floyd A.
Phase equilibrium in the system Li_2O-Na_2O-Al_2O_3-SiO_2. (2) C48; Phase equilibrium in the system $LiAlSiO_4$-$NaAlSiO_4$-SiO_2. (2) C46

Baer, John R. See Govila, Ratan K.

Bai, You-zhao See Fukushima, Sei

Baik, Sunggi; Fowler, D. E.; and Blakely, J. M.
Segregation of Mg to the (0001) surface of doped sapphire. (5) 281

Baik, Sunggi; and Raj, Rishi
Effect of silicon activity on liquid-phase sintering of nitrogen ceramics. (5) C124; Suppression of frothing by silicon addition during oxynitride glass synthesis. (7) C168

Balzer-Jollenbeck, Gert See Jain, Himanshu

Banerjee, Pranab K. See Bendow, Bernard

Barb, D. See Lucuta, P. Gr.

Barringer, Eric A. See Debely, Pierre E.

Barron, Lawrence M.
Eigensolution of the spinodal equation. (8) C208; Vector presentation of liquid immiscibility in alkali-free CaO-FeO-MgO-Al_2O_3-SiO_2-TiO_2 melts. (5) C129

Baskaran, Suresh; Bhaduri, Sarit B.; and Hasselman, D. P. H.
Effect of crystallites on subcritical crack growth and strain-rate sensitivity of strength of cordierite glass-ceramics. (3) 112

Batra, Naresh M. See Arora, Satish K.

Baumgartner, Charles E.
Stability of metal-oxide-doped ZnO in molten alkali carbonates. (8) 456

Beauchamp, Edwin K.; Carr, M. J.; and Graham, R. A.
Plastic deformation in alumina by explosive shock loading. (12) 696

Ben-Bassat, M. See Bentur, Arnon

Bendow, Bernard; Banerjee, Pranab K.; and Lucas, Jacques
Polarized Raman scattering in rare-earth fluoride glasses. (4) C92

Bennison, Stephen J.; and Harmer, Martin P.
Grain-growth kinetics for alumina in the absence of a liquid phase. (1) C22; Swelling of hot-pressed Al_2O_3. (11) 591

Bentur, Arnon; Ben-Bassat, M.; and Schneider, D.
Durability of glass-fiber-reinforced cements with different alkali-resistant glass fibers. (4) 203

Bergman, Bill; and Agren, John
Thermodynamic assessment of the system MnO-NiO. (8) 444

Bewley, Deborah E. See Goldman, Don S.

Bhaduri, Sarit B. See Baskaran, Suresh

Biggers, James V. See Kassarjian, Michael P.

Blakely, J. M. See Baik, Sunggi

Block, S.; Da Jornada, J. A. H.; and Piermarini, G. J.
Pressure-temperature phase diagram of zirconia. (9) 497

Blum, John B. See Tolino, David A.

Blum, John B.; and MacKinnon, R. J.
Influence of glass additions on particle-size-distribution effects in tape casting of $BaTiO_3$. (9) C233

Bordia, R. K.; and Raj, Rishi
Sintering behavior of ceramic films constrained by a rigid substrate. (6) 287

Bowden, M. E. See Brown, I. W. M.

Bowen, H. Kent See Debely, Pierre E.; Fegley, Bruce, Jr.

Boyer, L. L.; and Klein, B. M.
Parameter-free equation-of-state calculations for MgO and ZrO_2. (5) 278

Bozadzhiev, Ljudmil; Dimova, Todora; and Mitev, Todor
Classification of ferrospinel structures and textures. (1) C2

Brandle, C. D. See O'Bryan, Henry M.

Bray, Philip J. See Gupta, Prabhat K.

Breval, Else See Komarneni, Sridhar

Brown, I. W. M. See MacKenzie, K. J. D.

Brown, I. W. M.; MacKenzie, K. J. D.; and Bowden, M. E.
Outstanding problems in the kaolinite-mullite reaction sequence investigated by ^{29}Si and ^{27}Al solid-state nuclear magnetic resonance: II, High-temperature transformations of metakaolinite. (6) 298

Brown, Sherman D. See Knickerbocker, Sarah H.

Butler, E. Paul; and Heuer, Arthur H.
Grain-boundary phase transformations during aging of a partially stabilized ZrO_2—a liquid-phase analogue of diffusion-induced grain-boundary migration (DIGM). (4) 197

Camaratta, Frank A. See Abou El Leil, Mahmoud M.

Carr, M. J. See Beauchamp, Edwin K.

Carroll, Daniel F.; and Tressler, Richard E.
Time-dependent strength of siliconized carbide under stress at 1000° and 1100°C. (3) 143

Casselton, R. E. W. See Lewis, G. V.

Catlow, C. R. A. See Lewis, G. V.

Cawley, James D.; L'Hoir, Alain; and Schmaus, Didier
Characterization of the near-surface region of single-crystal alumina diffusion samples using Rutherford backscattering and channeling. (12) 663

Chaim, Rachman; Ruehle, Manfred; and Heuer, Arthur H.
Microstructural evolution in a ZrO_2-12 wt% Y_2O_3 ceramic. (8) 427

Chakraborty, Indra N.; and Day, Delbert E.
Effect of R^{3+} ions on the structure and properties of lanthanum borate glasses. (12) 641

Chakraborty, Indra N.; Day, Delbert E.; and Lapp, Josef C.
Structure-property relations in lanthanide borate glasses. (7) 368

Chandan, Harish C.; and Perry, S. Carolyn
Effect of moist ammonia on the strength of polymer-coated optical fibers. (4) C90

Chandra, Satish
Interaction of $BaCl_2$ and $BaSO_4$ at elevated temperatures. (2) C42

Chattopadhyay, G. See Tripathi, S. N.

Chen, Chera Ping; and Leipold, Martin H.
Stress rate and proof testing of silicon wafers. (2) C54

Chen, Za-Xiong; and McMillan, Peter W.
Crystallization behavior of a high-zinc-content Li_2O-ZnO-SiO_2 glass-ceramic and the effect of K_2O additions. (4) 220
Chiang, Yet-Ming See Fujimoto, Masayuki
Chokshi, Atul H.; and Porter, John R.
Creep deformation of an alumina matrix composite reinforced with silicon carbide whiskers. (6) C144
Chou, Kan-sen; Tien, Gee-yang; and Wu, Wen-long
Particle size distributions in calcined powders. (5) C118
Chushko, V. M. See Pisarenko, G. G.
Cielo, Paolo See Jen, Cheng-Kuei
Clark, C. Burton See Glass, S. Jill
Colbourn, E. A.; and Mackrodt, William C.
Segregation of isovalent impurity cations at the surfaces of MgO and CaO. (2) 74
Cole, Robert See McNeil, Thomas J.
Cole, Sanford S., Jr.
Oxidation and reduction of palladium in the presence of silver. (4) C106
Collepardi, Mario; Monosi, Saverio; and Moriconi, Giacomo
Influence of gluconate, lignosulfonate, and ghcose admixtures on the hydration of tetracalcium aluminoferrite in the presence of gypsum with or without calcium hydroxide. (5) C126
Constantinescu, F. See Lucuta, P. Gr.
Conway, J. C., Jr. See Larchuk, T. J.
Cook, Robert F.; Lawn, Brian R.; and Fairbanks, Carolyn J.
Microstructure-strength properties in ceramics: I, Effect of crack size on toughness. (11) 604; Microstructure-strength properties in ceramics: II, Fatigue relations. (11) 616
Cooper, Alfred R. See Liang, Zhi Hong; Roach, David H.
Cooper, J. A.; Cousens, D. R.; and Lewis, R. A.
Microstructural characterization of Synroc C and E by electron microscopy. (2) 64
Corman, Gregory S.; and Stubican, Vladimir S.
Phase equilibria and ionic conductivity in the system ZrO_2-Yb_2O_3-Y_2O_3. (4) 174
Cousens, D. R. See Cooper, J. A.
Coutures, Jean-Pierre
Al_2O_3-Nd_2O_3 phase diagram. (3) 105
Craven, Stephen M. See Moddeman, William E.
Crosbie, Gary M.
Ion-exchange treatment of silicon-yttria dispersions. (3) C83
Cross, Leslie E. See Meng, Z. Y.
Czernuszka, J. T.; and Page, Trevor F.
Cathodoluminescence—a microstructural technique for exploring phase distributions and deformation structures in zirconia ceramics. (8) C196
Da Jornada, J. A. H. See Block, S.
Dabbs, Timothy P.; and Lawn, Brian R.
Strength and fatigue properties of optical glass fibers containing microindentation flaws. (11) 563
Dalgleish, B. J.; and Evans, Anthony G.
Influence of shear bands on creep rupture in ceramics. (1) 44
Dalgleish, B. J.; Slamovich, E. B.; and Evans, Anthony G.
Duality in the creep rupture of a polycrystalline alumina. (11) 575
Damjanovic, Dragan. See Stubican, Vladimir S.
Datta, R. K. See Hallum, Gary W.
Day, Delbert E. See Angel, Paul W.; Chakraborty, Indra N.; Rajaram, Mohan; Reidmeyer, Mary R.
De Aza, Salvador See Moya, Jose S.
De Bussi, R. S.; and Rodrigues, D. C. S.
Measurement of small concentrations of Cr and Fe in α-Al_2O_3 using electron spin resonance. (7) 409
De Jonghe, Lutgard C. See Wu, Shun Jackson
DebRoy, Tarasankar See Pal, Uday B.
Debely, Pierre E.; Barringer, Eric A.; and Bowen, H. Kent
Preparation and sintering behavior of fine-grained Al_2O_3-SiO_2 composite. (3) C76
Desu, S. B.; and O'Bryan, Henry M.
Microwave-loss quality of $BaZn_{1/3}Ta_{2/3}O_3$ ceramics. (10) 546
DiGenova, Rocco R. See Abou El Leil, Mahmoud M.
Dickinson, J. Thomas See K'Singam, L. A.
Dickinson, J. Thomas; Jensen, Leslie C.; and Williams, W. David
Fractoemission from lead zirconate-titanate. (5) 235
Dimos, Duane See Wolfenstine, Jeff
Dimova, Todora See Bozadzhiev, Ljudmil
Dole, S. L. See Prochazka, Svante
Dolbert, Leonard See Giraldez, Emilio
Dosch, Robert G.; Northrup, C. J.; and Headley, T. J.
Crystalline titanate ceramic nuclear waste forms—leaching and radiation damage. (6) 330
Dou, Shixue; Pacey, Philip D.; and Masson, Charles R.
Grain growth in CaO-stabilized ZrO_2 in the presence of a liquid phase. (3) C80
Dragoo, Alan L. See Frederikse, Hans P. R.
Drexhage, Martin G. See Scherer, George W.
Drory, Michael D. See Johnson-Walls, D.
Drory, Michael D.; and Evans, Anthony G.
Elimination of surface voids in ceramics. (6) 342
Drory, Michael D.; and Glaeser, Andreas M.
Stability of pore channels—experimental observations. (1) C14
Duckworth, Winston H. See Rosenfield, A. R.; Shetty, Dinesh K.
Dudney, N. J.
Effect of interfacial space-charge polarization on the ionic conductivity of composite electrolytes. (10) 538
Dumais, Glenn A. See Varshneya, Arun K.
Dungan, R. H.; and Storz, L. J.
Relation between chemical, mechanical, and electrical properties of Nb_2O_5-modified 95 mol% $PbZrO_3$-5 mol% $PbTiO_3$. (10) 530
Dutta, Sunil
Densification and properties of α-silicon carbide. (10) 269
Dworzak, Wolfgang Rudolph See Gallagher, Sarah Ann
El-Bayoumi, Osama H. See Suscavage, Michael J.
Elmer, Thomas H.
Role of acid concentration in leaching of cordierite and alkali borosilicate glass. (10) C273
Endo, Tadashi See Sato, Tsugio
Evans, Anthony G. See Dalgleish, B. J.; Drory, Michael D.; Hsueh, Chun-Hway; Johnson-Walls, D.; Lu, Mei-chien; Marshall, David B.
Ezis, Andre See Tennenhouse, Gerald J.
Fairbanks, Carolyn J. See Cook, Robert F.
Fegley, Bruce, Jr.; White, Paul; and Bowen, H. Kent
Preparation of zirconia-alumina powders by zirconium alkoxide hydrolysis. (2) C60
Feipeng, Zhang See Tomsia, Antoni P.
Ferber, Mattison K.; Ogle, J.; and Tennery, Victor J.
Characterization of corrosion mechanisms occurring in a sintered SiC exposed to basic coal slags. (4) 191
Fett, T.; and Munz, Dietrich
Determination of v-K_I curves by a modified evaluation of lifetime measurements in static bending tests. (8) C213
Fink, J. K.
Review of the thermophysical properties of fast-reactor fuel. (3) 139
Fischman, Gary S.; and Petuskey, William T.
Thermodynamic analysis and kinetic implications of chemical vapor deposition of SiC from Si-C-Cl-H gas systems. (4) 185
Fleming, James W.; Kurkjian, Charles R.; and Paek, Un-Chul
Measurement of cation diffusion in silica light guides. (9) C246
Flintoff, John F. See Harker, Alan B.
Fontenoau, Gilles See Tregoat, Denis
Fowler, D. E. See Baik, Sunggi
Fox, Bradley H. See Kassarjian, Michael P.
Frederikse, Hans P. R.; Kahn, A. H.; and Dragoo, Alan L.
Electrical resistivity and microwave transmission of hexagonal boron nitride. (3) 131
Freiman, Stephen W.; White, Grady S.; and Fuller, Edwin R., Jr.
Environmentally enhanced crack growth in soda-lime glass. (3) 108
Friebele, E. Joseph; and Tran, Danh Cong
Optical absorption spectra of chlorine-associated defect centers in an irradiated ZrF_4-based glass. (10) C279
Frischat, Guenther H.; and Sebastian, Klaus
Leach resistance of nitrogen-containing Na_2O-CaO-SiO_2 glasses. (11) C305
Fujimoto, Masayuki; Chiang, Yet-Ming; and Roshko, Alexana
Microstructure and electrical properties of sodium-diffused and potassium-diffused $SrTiO_3$ barrier-layer capacitors exhibiting varistor behavior. (11) C300
Fujimoto, Masayuki; and Kingery, W. David.
Microstructures of $SrTiO_3$ internal boundary layer capacitors during and after processing and resultant electrical properties. (4) 169
Fukuhara, Mikio
Effect of nitrogen on the $\alpha \rightarrow \beta$ phase conversion in silicon nitride. (9) C226
Fukushima, Sei; Bai, You-zhao; and Gohshi, Yohichi
Germanium $K\alpha_{1,2}$ shifts due to coordination. (9) 490
Fuller, Edwin R., Jr. See Freiman, Stephen W.; Michalske, Terry A.
Fyfe, Colin A. See Komarneni, Sridhar
Gac, Frank D.; and Petrovic, John J.
Feasibility of a composite of SiC whiskers in an $MoSi_2$ matrix. (8) C200
Gallagher, Patrick K. See O'Bryan, Henry M., Jr.
Gallagher, Patrick K.; and O'Bryan, Henry M., Jr.
Characterization of $LiNbO_3$ by dilatometry and DTA. (3) 147
Gallagher, Sarah Ann; and Dworzak, Wolfgang Rudolph
Thermodynamic properties of cerium oxalate and cerium oxide. (8) C206
Garino, Terry See Scherer, George W.
Garofalini, Stephen H.; and Levine, S. M.
Differences in surface behavior of alkali ions in $Li_2O{\cdot}3SiO_2$ and $Na_2O{\cdot}3SiO_2$ glasses. (7) 376
Gartner, Ellis M.; Tang, Fulvio J.; and Weiss, Stuart J.
Saturation factors for calcium hydroxide and calcium sulfates in fresh portland cement pastes. (12) 667
Gay, David M. See McAfee, Kenneth B., Jr.
Gazzara, C. P. See Ruud, Clayton O.
Giess, Edward A. See Watanabe, Koichi
Giess, Edward A.; Guerci, Carl F.; and Walker, George F.
Isothermal sintering of spheroidized cordierite-type glass powders. (12) C328
Giraldez, Emilio; Dolbert, Leonard; and Kingery, W. David
Suppression of insulator charging during secondary-ion mass spectroscopy and scanning electron microscopy. (10) C286
Glaeser, Andreas M. See Drory, Michael D.
Glass, S. Jill; Nicholson, Patrick S.; and Clark, C. Burton
Characterization of interfacial reactions between β-Al_2O_3 and Y_2O_3-partially stabilized ZrO_2. (7) C176
Gohshi, Yohichi See Fukushima, Sei
Goldman, Don S.; and Bewley, Deborah E.
Ferrous/ferric Moessbauer analysis of simulated nuclear waste glass with and without computer fitting. (12) 691
Gonzalez, Armando C. See Lawn, Brian R.
Gourdin, W. H.; and Weinland, S. L.
Dynamic compaction of aluminum nitride powder: Hugoniot measurement and comparison with static behavior. (12) 674
Govila, Ratan K.; Mangels, John A.; and Baer, John R.
Fracture of yttria-doped, sintered reaction-bonded silicon nitride. (7) 413
Graham, R. A. See Beauchamp, Edwin K.
Green, David J.
Fabrication and mechanical properties of lightweight ceramics produced by sintering of hollow spheres. (7) 403
Green, David J.; and Hoagland, Richard G.
Mechanical behavior of lightweight ceramics based on sintered hollow spheres. (7) 395
Guerci, Carl F. See Giess, Edward A.
Guha, Jyoti P.
Dielectric properties of lead-magnesium niobate ceramics—comment. (3) C86
Gupta, Prabhat K.; Lui, Ming L.; and Bray, Philip J.
Boron coordination in rapidly cooled and in annealed aluminum borosilicate glass fibers. (3) C82
Haggerty, John S. See Lihrmann, J. M.
Hallum, Gary W.; and Datta, R. K.
The system Sc_2O_3-WO_3. (2) C68
Haneda, Hajime; Yamamura, Hiroshi; and Watanabe, Akio
Oxygen self-diffusion in single-crystal Mn-Zn ferrite. (2) C53
Hann, Raiford E.; Suitch, Paul R.; and Pentecost, Joseph L.
Monoclinic crystal structures of ZrO_2 and HfO_2 refined from X-ray powder diffraction data. (10) C285
Harker, Alan B.; and Flintoff, John F.
Crystalline-phase formation in hot isostatic pressing of nuclear waste ceramics with high zirconia content—correction. (7) 418; Crystalline-phase formation in hot isostatic pressing of nuclear waste ceramics with high zirconia content. (3) 159
Harmer, Martin P. See Bennison, Stephen J.; Hu, Y. H.
Hashiba, Minoru See Okada, Hajime
Hasselman, D. P. H. See Baskaran, Suresh; Lee, Hong Lim
Headley, T. J. See Dosch, Robert G.
Hejna, C. I. See Prochazka, Svante
Hervig, Richard L.; and Navrotsky, Alexandra
Thermochemistry of sodium borosilicate glasses. (6) 314
Heuer, Arthur H. See Butler, E. Paul; Chaim, Rachman; Lou, V. L. K.
Higginbotham, Geoffrey See Hill, W. Anthony
Hill, W. Anthony; Moon, Anthony R.; and Higginbotham, Geoffrey
Alkali oxide rich sodium titanates. (10) C266
Hirao, Kazuyuki; and Soga, Naohiro
Molecular dynamic simulation of Eu^{3+}-doped sodium borate glasses and their fluorescence spectra. (10) 515
Hirashima, Hiroshi; Arai, Daikichi; and Yoshida, Tetsuro
Electrical conductivity of PbO-P_2O_5-V_2O_5 glasses. (9) 486
Hirosaki, Naoto See Sakai, Toshikazu
Hoagland, Richard G. See Green, David J.
Horiuchi, Shigeo; and Uchida, Kenji
β-phase based superstructure in Bi_2O_3 doped with PbF_2. (9) C220
Hosoe, Masahiro See Hosono, Hideo
Hosono, Hideo; Satake, Takehiko; and Hosoe, Masahiro
Reversible optical change of amorphous red phosphorus in reduced phosphate glasses. (1) 7
Hosono, Hideo; Yamazaki, Koji; and Abe, Yoshihiro
Dopant-free ultraviolet-sensitive calcium aluminate glasses. (11) C304
Hrma, Pavel
Reaction between sodium carbonate and silica sand at $874 < T < 1022$ °C. (6) 337
Hsueh, Chun-Hway; and Evans, Anthony G.
Residual stresses and cracking in metal/ceramic systems for microelectronics packaging. (3) 120; Residual stresses in metal/ceramic bonded strips. (5) 241
Hu, Y. H.; Harmer, Martin P.; and Smyth, Donald M.
Solubility of BaO in $BaTiO_3$. (7) 372
Hummel, Floyd A. See Badger, William B.
Hunta, A. M. See Loudjani, M. K.
Hurst, Janet B.; and Millard, Michael L.
Evaluation of α-SiC sintering using statistical methods. (7) C178
Hutchinson, E. See Thomas, M. P.
Huzinec, G. See Stubican, Vladimir S.
Ihara, Chikashi See Matusita, Kazumasa
Ikegami, Takayasu; and Moriyoshi, Yusuke
Evaluation of grain-growth parameters. (11) 597; Intermediate-stage sintering of a homogeneously packed compact—reply. (10) C290
Inagaki, Michio; Urashima, Kazuhiro; and Toyomasu, Shinsuke
Work of fracture and crack healing in glass. (12) 704
Ingel, Robert P. See Adams, Janes W.; Perry, C. H.
Ishikawa, Takuma; Sato, Hiroshi; and Kikuchi, Ryoichi
Demixing of materials under chemical potential gradients. (1) 1
Jacobson, Nathan S.; and Smialek, James L.
Hot corrosion of sintered α-SiC at 1000 °C. (8) 432
Jain, Himanshu; Balzer-Jollenbeck, Gert; and Kanert, Otmar
^7Li nuclear magnetic resonance in (^7Li,^6Li) and (Li,Na) triborate glasses. (1) C24

Jakus, Karl See Lawn, Brian R.
Jakus, Karl; and Ritter, John E., Jr.
Fracture of brittle solids in the presence of thermoelastic stresses—comment. (12) C335
Jawed, Inam See Pujari, Vimal K.
Jen, Cheng-Kuei; Cielo, Paolo; and Maldague, Xavier
Noncontact ultrasonic characteristics of piezoelectric ceramics. (6) C146
Jensen, Leslie C. See Dickinson, J. Thomas; K'Singam, L. A.
Joesten, Raymond
Diffusion-compensation relation for normal grain growth and grain-boundary diffusion of oxygen in oxides. (2) C62
Johnson, Sylvia M.; and Rowcliffe, David J.
Mechanical properties of joined silicon nitride. (9) 468
Johnson-Walls, D.; Drory, Michael D.; and Evans, Anthony G.
Evaluation of reliability of brittle components by thermal stress testing. (7) 363
K'Singam, L. A.; Dickinson, J. Thomas; and Jensen, Leslie C.
Fractoemission from failure of metal/glass interfaces. (9) 510
Kahn, A. H. See Frederikse, Hans P. R.
Kahn, Manfred
Acoustic and elastic properties of PZT ceramics with anisotropic pores. (11) 623
Kakegawa, Kazuyuki; and Mohri, Junichi
Synthesis of (Ba,Pb)(Zr,Ti)O_3 solid solution having no compositional fluctuations. (8) C204
Kamata, Kiichiro; Mochizuki, Takao; and Matsumoto, Shigeki
Preparation of submicrometer Al_2O_3 powder by gas-phase oxidation of tris(acetylacetonato)aluminum(III). (8) C193
Kanert, Otmar See Jain, Himanshu
Kanzaki, Shuzo; Tabata, Hideyo; and Kumazawa, Takeshi
Sintering and mechanical properites of stoichiometric mullite. (1) C6
Kassarjian, Michael P.; Fox, Bradley H.; and Biggers, James V.
Fast firing of a lead-iron niobate dielectric ceramic. (6) C140
Kato, Akio See Suyama, Yoko
Katz, Allan P. See Mah, Tai-Il
Kawabe, Takashi See Yamaguchi, Osamu
Kawakami, Hiroshi See Okada, Hajime
Kerkar, A. S. See Tripathi, S. N.
Kikuchi, Ryoichi See Ishikawa, Takuma
Kim, Il-Ung; and Richards, Von L.
High-temperature electrical conductivity of aluminum oxynitride spinel. (8) C210
Kingery, W. David. See Fujimoto, Masayuki; Giraldez, Emilio; Roshko, A.
Kirchner, Henry P. See Larchuk, T. J.
Klein, B. M. See Boyer, L. L.
Knickerbocker, Sarah H.; Zangvil, Avigdor; and Brown, Sherman D.
High-temperature mechanical properties and microstructures for hot-pressed silicon nitrides with amorphous and crystalline intergranular phases. (4) C99
Kohlstedt, David L. See Wolfenstine, Jeff
Koizumi, Mitsue See Suganuma, Katsuaki; Uchida, Norimasa
Komarneni, Sridhar See Roy, Rustum; Suwa, Yoshiko
Komarneni, Sridhar; and Roy, Rustum
Diphasic xerogels, a new class of materials—phases in the system Al_2O_3-SiO_2—reply. (3) C85
Komarneni, Sridhar; Roy, Rustum; and Breval, Else
New method of making titania gels and their microstructure. (2) C41
Komarneni, Sridhar; Roy, Rustum; and Fyfe, Colin A.
Preliminary characterization of gel precursors and their high-temperature products by ^{27}Al magic-angle spinning NMR. (9) C243
Komatsu, Takayuki See Matusita, Kazumasa
Koschek, Georg; and Kubalek, Erich
Grain-boundary characteristics and their influence on the electrical resistance of barium titanate ceramics. (11) 582
Koumoto, Kunihito See Ohara, Yoshinobu; Saito, Shinichiro
Koutsoutis, Michael S. See Morgan, Peter E. D.
Kovalev, S. P. See Pisarenko, G. G.
Kramer, Daniel P. See Moddeman, William E.
Kroeger, F. A. See Lee, C. H.
Krstic, Vladimir D.
Fracture of brittle solids in the presence of thermoelastic stresses—reply. (12) C338
Kubalek, Erich See Koschek, Georg
Kumagai, Masato; and Messing, Gary L.
Controlled transformation and sintering of a boehmite sol-gel by α-alumina seeding. (9) 500
Kumar, U. See Meng, Z. Y.
Kumazawa, Takeshi See Kanzaki, Shuzo
Kume, Shoichi See Suyama, Ryuji
Kuppinger, Christopher M.; and Shelby, James E.
Viscosity and thermal expansion of mixed-alkali sodium-potassium borate glasses. (9) 463
Kurkjian, Charles R. See Fleming, James W.
L'Hoir, Alain See Cawley, James D.
Lacharme, Jean-Pierre; and Lehuede, Patrice
Interpretation of analyses of silicate glasses and minerals obtained by secondary-ion mass spectrometry. (5) C134
Langley, Neal R. See Li, Chi-tang
Lapp, Josef C. See Chakraborty, Indra N.; Piguet, Joyce L.
Larchuk, T. J.; Conway, J. C., Jr.; and Kirchner, Henry P.
Crushing as a mechanism of material removal during abrasive machining. (4) 209
Laugier, Michael T.
Palmqvist crack extension and the center-loaded penny crack analogy. (2) C51
Lawn, Brian R. See Cook, Robert F.; Dabbs, Timothy P.
Lawn, Brian R.; Jakus, Karl; and Gonzalez, Armando C.
Sharp versus blunt crack hypotheses in the strength of glass—critical study using indentation flaws. (1) 25
Lee, C. H.; and Kroeger, F. A.
Electrical conductivity of polycrystalline Al_2O_3 doped with silicon. (2) 92; Low-activation-energy conduction in polycrystalline α-Al_2O_3 doped with Si and Na. (2) 71
Lee, Hong Lim; and Hasselman, D. P. H.
Comparison of data for thermal diffusivity obtained by laser-flash method using thermocouple and photodetector. (1) C12
Lehuede, Patrice See Lacharme, Jean-Pierre
Leipold, Martin H. See Chen, Chern Ping
Lenain, Gerard E.; McKinstry, Herbert A.; and Agrawal, Dinesh K.
Improvement of crystallinity of $KZr_2P_3O_{12}$ by sol-gel synthesis. (9) C224
Levine, S. M. See Garofalini, Stephen H.
Lewis, G. V.; Catlow, C. R. A.; and Casselton, R. E. W.
PTCR effect in $BaTiO_3$. (10) 555
Lewis, R. A. See Cooper, J. A.
Li, Chi-tang; and Langley, Neal R.
Improvement in fiber testing of high-modulus single-filament materials. (8) C202
Li, Xiang-min
Intermediate-stage sintering of a homogeneously packed compact—comment on. (10) C290
Liang, Zhi Hong; and Cooper, Alfred R.
Ruby glass produced in a Pt-Au crucible. (9) C221
Liang, Zhi Hong; and Cooper, Alfred R.
Effect of atmosphere and temperature on the equilibrium between molten tin and soda-lime glass. (8) C195
Librmann, J. M.; and Haggerty, John S.
Surface tensions of alumina-containing liquids. (2) 81
Lilley, Edward See Pickles, David G.
Liu, D.-W. See Perry, C. H.
Loehman, Ronald E. See Mecartney, M. L.; Tredway, William K.
Loo, Mike C. See Varshneya, Arun K.
Lorenz, Josef See Stutz, Doris H.
Lotrich, Victor See Akashi, Tamotsu
Lou, V. L. K.; Mitchell, T. E.; and Heuer, Arthur H.
Review—graphical displays of the thermodynamics of high-temperature gas-solid reactions and their application to oxidation of metals and evaporation of oxides. (2) 49
Loudjani, M. K.; Roy, J.; and Hunta, A. M.
Study by extended X-ray absorption fine-structure technique and microscopy of the chemical state of yttrium in α-polycrystalline alumina. (11) 559
Louer, Daniel
Formation of ZnO hemispheres from a mixed-nitriate glass-melt. (12) C315
Lu, Mei-chien; and Evans, A. G.
Influence of cyclic tangential loads on indentation fracture. (9) 505
Lucas, Jacques See Bendow, Bernard
Lucuta, P. Gr.; Constantinescu, F.; and Barb, D.
Structural dependence on sintering temperature of lead zirconate-titanate solid solutions. (10) 533
Lui, Ming L. See Gupta, Prabhat K.
MacKenzie, K. J. D. See Brown, I. W. M.
MacKenzie, K. J. D.; Brown, I. W. M.; and Meinhold, R. H.
Outstanding problems in the kaolinite-mullite reaction sequence investigated by ^{29}Si and ^{27}Al solid-state nuclear magnetic resonance: I, Metakaolinite. (6) 293; Thermal reactions of pyrophyllite studied by high-resolution solid-state ^{27}Al and ^{29}Si nuclear magnetic resonance spectroscopy. (5) 266
MacKinnon, R. J. See Blum, John B.
Mackrodt, William C. See Colbourn, E. A.
Macmillan, N. H.
Direct observation of crack-tip geometry of SiO_2 glass by high-resolution electron microscopy—comment. (10) C288
Mactavish, J. C. See Schreiner, L. J.
Maeda, Kunihiro See Ogihara, S.
Mah, Tai-Il; Mendiratta, Madan G.; and Katz, Allan P.
High-temperature mechanical behavior of fiber-reinforced glass-ceramic-matrix composites. (9) C248; Room-temperature mechanical behavior of fiber-reinforced ceramic-matrix composites. (1) C27
Maldague, Xavier See Jen, Cheng-Kuei
Mangels, John A. See Govila, Ratan K.
Marra, John E. See Varshneya, Arun K.
Marshall, David B.; and Evans, Anthony G.
Failure mechanisms in ceramic-fiber/ceramic-matrix composites. (5) 225
Mason, Thomas O.
High-temperature cation distributions in Fe_3O_4-$FeAl_2O_4$. (3) C74
Masson, Charles R. See Dou, Shixue
Matsui, Kazuhiro See Yamaguchi, Osamu
Matsumoto, Roger L. K.
Strength recovery in degraded yttria-doped tetragonal zirconia polycrystals. (8) C213
Matsumoto, Shigeki See Kamata, Kiichiro
Matsushita, Kenichi See Tsukuma, Koji
Matsuyama, Iwao See Satoh, Shin
Matthiesen, David H.; and Petuskey, William T.
Solidification microstructures of laser-melted alumina powder compacts. (5) C114
Matusita, Kazumasa; Ihara, Chikashi; and Komatsu, Takayuki
Photoelastic effects in phosphate glasses. (7) 389
Mazdiyasni, Kurt S.; and Zangvil, Avigdor
Effect of impurities on SiC whisker morphology. (6) C142
McAfee, Kenneth B., Jr.; Gay, David M.; and Walker, Kenneth L.
Thermodynamic stability and incorporation of phosphorus into germanium-doped silica glass. (6) 359
McCoy, John Kevin See Wills, Roger R.
McDonough, William J. See Rice, Roy W.
McHale, A. E.; and Tuller, Harry L.
Defects and charge transport in β-Ta_2O_5: I, Analysis of the conductivity observed in nominally pure β-Ta_2O_5. (12) 646; Defects and charge transport in β-Ta_2O_5: II, Analysis of the conductivity of Nb_2O_5-doped β-Ta_2O_5. (12) 651
McKinstry, Herbert A. See Lenain, Gerard E.
McMillan, Peter W. See Chen, Zu-Xiong
McNeil, Thomas J.; Cole, Robert; and Subramanian, R. Shankar
Surface-tension-driven flow in a glass melt. (5) 254
McVay, Gary L. See Weber, William J.
Mecartney, M. L.; Sinclair, R.; and Loehman, Ronald E.
Silicon nitride joining. (9) 472
Meinhold, R. H. See MacKenzie, K. J. D.
Mendiratta, Madan G. See Mah, Tai-Il
Meng, Z. Y.; Kumar, U.; and Cross, Leslie E.
Electrostriction in lead lanthanum zirconate-titanate ceramics. (8) 459
Messing, Gary L. See Kumagai, Masato
Metselaar, R. See Van Dijen, F. K.
Michalske, Terry A.; and Fuller, Edwin R., Jr.
Closure and repropagation of healed cracks in silicate glass. (11) 586
Mieskowski, Diane M.; and Sanders, William A.
Microstructure of reaction-bonded silicon nitride consolidated by isostatic hot-pressing. (8) C217; Oxidation of silicon nitride sintered with rare-earth oxide additions. (7) C160
Miljkovic, L. See Schreiner, L. J.
Millard, Michael L. See Hurst, Janet B.
Millot, F. See Abderrazik, G. Ben
Mitchell, T. E. See Lou, V. L. K.
Mitev, Todor See Bozadzhiev, Ljudmil
Mitsui, Akihiro See Yamaguchi, Osamu
Miyamoto, Hiroki See Taguchi, Hideki
Miyayama, Masaru See Saito, Shinichiro
Mochizuki, Takao See Kamata, Kiichiro
Moddeman, William E.; Craven, Stephen M.; and Kramer, Daniel P.
Evidence for diffusion of zerovalent metal atoms during glass/metal sealing. (11) C298
Moeller, H.-Joachim; and Welsch, Gerhard
Sintering of ultrafine silicon powder. (6) 320
Mohan, K. See Taylor, Harry F. W.
Mohri, Junichi See Kakegawa, Kazuyuki
Moir, G. K. See Taylor, Harry F. W.
Molinelli, Joyce E.; Tomozawa, Minoru; and Takata, Masasuke
Sodium transport in the Na_2O-H_2O-SiO_2 glass system. (3) 165
Monosi, Saveria See Collepardi, Mario
Moon, Anthony R. See Hill, W. Anthony
Moore, Thomas J.
Feasibility study of the welding of SiC. (6) C151
Morena, Robert See Twiggs, S. Warren
Morgan, Peter E. D. See Panda, P. C.
Morgan, Peter E. D.
Identification of $BaO{\cdot}Al_2O_3{\cdot}5TiO_2$ in the ternary system BaO-Al_2O_3-TiO_2—comment. (1) C32
Morgan, Peter E. D.; and Koutsoutis, Michael S.
Phase studies concerning sintering in aluminas doped with Ti^{4+}. (6) C156
Morgan, Peter E. D.; and Pugar, Eloise A.
Synthesis of Si_3N_4 with emphasis on Si-S-N chemistry. (12) 699
Moriconi, Giacomo See Collepardi, Mario
Moriyoshi, Yusuke See Ikegami, Takayasu
Moulin, G. See Abderrazik, G. Ben
Moya, Jose S. See Osendi, Maria Isabel
Moya, Jose S.; Pena, Pilar; and De Aza, Salvador
Transformation toughening in composites containing dicalcium silicate. (9) C259
Moynihan, Cornelius T. See Tregoat, Denis
Munz, Dietrich See Fett, T.
Nakamura, H. Henry See Adams, Janes W.
Navrotsky, Alexandra See Hervig, Richard L.
Neilson, George F.; Smith, Gary L.; and Weinberg, Michael C.
Effect of chloride incorporation on the crystallization of zirconium-barium-lanthanum-aluminum fluoride glass. (11) 629
Nicholson, Patrick S. See Glass, S. Jill; Troczynski, Thomas B.
Noma, Tatsuo; and Sawaoka, Akira
Effects of heat treatment on fracture toughness of alumina-diamond composites sintered at high pressures. (2) C36; Fracture toughness of high-pressure-sintered diamond/silicon nitride composites. (10) C271
Northrup, C. J. See Dosch, Robert G.
O'Bryan, Henry M., Jr. See Desu, S. B.; Gallagher, Patrick K.

O'Bryan, Henry M., Jr.; Gallagher, Patrick K.; and Brandle, C. D.
Congruent composition and Li-rich phase boundary of $LiNbO_3$. (9) 493

O'Bryan, Henry M., Jr.; and Thomson, John
Temperature-dependent phase boundaries for $BaTi_4O_9$, $Ba_2Ti_9O_{20}$, and $BaTi_5O_{11}$. (2) C70

Ogihara, S.; Maeda, Kunihiro; and Takeda, Yukio
Effect of impurity and carrier concentrations on electrical resistivity and thermal conductivity of SiC ceramics containing BeO. (1) C16

Ogle, J. See Ferber, Mattison K.

Ohara, Yoshinobu; Koumoto, Kunihito; and Yanagida, Hiroaki
Barium titanate ceramics with high piezoelectricity fabricated from fibrous particles. (4) C108

Ohno, Shinichi See Saeki, Masakatsu

Ohtaki, Shiro See Sato, Tsugio

Okada, Hajime; Kawakami, Hiroshi; and Hashiba, Minoru
Effect of physical nature of powders and firing atmosphere on $ZnAl_2O_4$ formation. (2) 58

Okada, Kiyoshi
Diphasic xerogels, a new class of materials—phases in the system Al_2O_3-SiO_2—comment. (3) C85

Okamoto, Taira See Suganuma, Katsuaki

Onorato, Paulette I. K.; Alexander, Michael N.; and Struck, Charles W.
Bridging and nonbridging oxygen atoms in alkali aluminosilicate glasses. (6) C148

Oota, Toshitaka See Yamai, Iwao

Osendi, Maria Isabel; Moya, Jose S.; and Serna, Carlos J.
Metastability of tetragonal zirconia powders. (3) 135

Pacey, Philip D. See Dou, Shixue

Paek, Un-Chul See Fleming, James W.

Page, Trevor F. See Czernuszka, J. T.

Pal, Uday B.; DebRoy, Tarasankar; and Simkovich, George
Oxygen pressure dependence of lead ion transport in PbO-SiO_2 melts. (4) C104

Palaniamy, Ponnusamy; Sarma, Dwadasi H. R.; and Vest, Robert W.
Liquid-phase sintering in thick-film resistor processing. (8) C215

Panda, P. C.; Raj, R.; and Morgan, P. E. D.
Superplastic deformation in fine-grained $MgO{\cdot}2Al_2O_3$ spinel. (10) 522

Pask, Joseph A. See Tomsia, Antoni P.

Pena, Pilar See Moya, Jose S.

Pentecost, Joseph L. See Hann, Raiford E.

Perry, C. H.; Liu, D.-W.; and Ingel, Robert P.
Phase characterization of partially stabilized zirconia by Raman spectroscopy. (8) C184

Perry, S. Carolyn See Chandan, Harish C.

Peterson, Norman Lee See Thomas, M. P.

Petrovic, John J.
Mixed-mode fracture of hot-pressed Si_3N_4. (6) 348; See also Gac, Frank D.

Petuskey, William T.
Current-induced segregation in ionic melts. (2) 86; See also Fischman, Gary S.; Matthiesen, David H.

Pickles, David G.; and Lilley, Edward
Ultramicrotoming of ceramic powders for electron microscopy. (9) C222

Piermarini, G. J. See Block, S.

Piguet, Joyce L.; Lapp, Josef C.; and Shelby, James E.
Transformation range behavior of lithium galliosilicate glasses. (6) 326

Piguet, Joyce L.; and Shelby, James E.
Preparation and properties of silver borate glasses. (8) 450; Transformation-range behavior of Li_2O-$(Al,Ga)_2O_3$-SiO_2 glasses. (9) C232

Pisarenko, G. G.; Chushko, V. M.; and Kovalev, S. P.
Anisotropy of fracture toughness of piezoelectric ceramics. (5) 259

Porter, John R. See Chokshi, Atul H.

Prochazka, Svante See Stutz, Doris H.

Prochazka, Svante; Dole, S. L.; and Hejna, C. I.
Abnormal grain growth and microcracking in boron carbide. (9) C235

Pugar, Eloise A. See Morgan, Peter E. D.

Pujari, Vimal K.; and Jawed, Imam
Effect of densification conditions on the stabilization of the tetragonal phase in ZrO_2 polycrystals. (9) C242

Rahaman, Mohammed N. See Wu, Shun Jackson

Raj, Rishi See Baik, Sunggi; Bordia, R. K.; Panda, P. C.

Rajaram, Mohan; and Day, Delbert E.
Sodium diffusion in sodium aluminophosphate glasses. (7) C181

Ramberg, Jeffrey R.; Wolfe, Cynthia F.; and Williams, Wendell S.
Resistance of titanium diboride to high-temperature plastic yielding. (3) C78

Rao, G. S. Trivikrama See Arora, Satish K.

Ray, Chandra S. See Angel, Paul W.

Reidmeyer, Mary R.; and Day, Delbert E.
Preparation and properties of nitrogen-doped phosphate glasses. (8) C188

Rhodes, Cecil G. See Steeds, John W.

Rice, Roy W.; and McDonough, William J.
Intrinsic volume changes of self-propagating synthesis. (5) C122

Richards, Von L. See Kim, Il-Ung

Ringle, R. D. See Twiggs, S. Warren

Ritter, John E., Jr. See Jakus, Karl

Roach, David H.; and Cooper, Alfred R.
Effect of contact residual stress relaxation on fracture strength of indented soda-lime glass. (11) 632

Rodrigues, D. C. S. See De Biasi, R. S.

Rosenfield, Alan R.; Duckworth, Winston H.; and Shetty, Dinesh K.
Damage analysis of creep in bending. (9) 483

Rosenfield, Alan R. See Shetty, Dinesh K.

Roshko, A.; and Kingery, W. David
Segregation at special boundaries in MgO. (12) C331

Roshko, Alexana See Fujimoto, Masayuki

Rowcliffe, David J. See Johnson, Sylvia M.

Roy, J. See Loudjani, M. K.

Roy, Rustum See Komarneni, Sridhar; Suwa, Yoshiko

Roy, Rustum; Komarneni, Sridhar; and Yang, L. J.
Controlled microwave heating and melting of gels. (7) 392

Ruehle, Manfred See Chaim, Rachman

Runkle, Franklin D. See Tennenhouse, Gerald J.

Ruud, Clayton O.; and Gazzara, C. P.
Residual stress measurements in alumina and silicon carbide. (2) C67

Saeki, Goji See Watanabe, Akira

Saeki, Masakatsu; Ohno, Shinichi; and Tachikawa, Enzo
Comparison of 80-keV D^+ ion implantation with thermal D_2 doping in silica by FTIR and ESR spectroscopy. (3) 151

Saito, Shinichiro; Miyayama, Masaru; and Koumoto, Kunihito
Gas-sensing characteristics of porous ZnO and Pt/ZnO ceramics. (1) 40

Sakai, Toshikazu; and Hirosaki, Naoto
Hot-pressing of SiC with additions of BaO and C. (8) C191

Sanders, William A. See Mieskowski, Diane M.

Sarma, Dwadasi H. R. See Palanisamy, Ponnusamy

Sarma, Dwadasi H. R.; and Vest, Robert W.
Kinetics of liquid spreading and penetration with application to RuO_2-glass thick-film resistors. (5) 249

Satake, Takehiko See Hosono, Hideo

Sato, Hiroshi See Ishikawa, Takuma

Sato, Tsugio; Ohtaki, Shiro; and Endo, Tadashi
Transformation of yttria-doped tetragonal ZrO_2 polycrystals by annealing under controlled humidity conditions. (12) C320

Sato, Tsugio; and Shimada, Masahiko
Transformation of yttria-doped tetragonal ZrO_2 polycrystals by annealing in water. (6) 356

Satoh, Shin; Susa, Kenzo; and Matsuyama, Iwao
Experimental study of porous gel sintering. (7) 399

Sawaoka, Akira See Akashi, Tamotsu; Noma, Tatsuo

Scherer, George W.; and Drexhage, Martin G.
Stress in leached phase-separated glass. (8) 419

Scherer, George W.; and Garino, Terry
Viscous sintering on a rigid substrate. (4) 216

Schmaus, Didier See Cawley, James D.

Schneider, D. See Bentur, Arnon

Schreiner, L. J.; Mactavish, J. C.; and Miljkovic, L.
NMR line shape–spin-lattice relaxation correlation study of portland cement hydration. (1) 10

Schulze, Walter A. See Swartz, Scott L.

Schuster, Julius C.
Compatibility of AlN with Group VIII transition metals. (12) C329

Searcy, Alan W.
Driving force for sintering of particles with anisotropic surface energies. (10) C267

Sebastian, Klaus See Frischat, Guenther H.

Serna, Carlos J. See Osendi, Maria Isabel

Shelby, James E.
Electrical conductivity of alkali-doped Zr-Ba-La-Al fluoride glasses. (7) C177; Formation and properties of calcium aluminosilicate glass. (3) 155; Properties of lead fluorosilicate glasses. (10) 551; See also Kuppinger, Christopher M.; Piguet, Joyce L.

Sherman, Robert
Auger analysis of hot-pressed and sintered silicon carbide. (1) C7

Shetty, Dinesh K. See Rosenfield, Alan R.

Shetty, Dinesh K.; Rosenfield, Alan R.; and Duckworth, Winston H.
Analysis of indentation crack as a wedge-loaded half-penny crack. (2) C65; Fracture toughness of ceramics measured by a chevron-notch diametral-compression test. (12) C325; Indenter flaw geometry and fracture toughness estimates for a glass-ceramic. (10) C282

Shimada, Masahiko See Sato, Tsugio; Tsukuma, Koji; Uchida, Norimasa

Shimizu, Kiyoshi See Yamaguchi, Osamu

Shoubu, Kazuhisa See Watanabe, Tadahiko

Shrout, Thomas R. See Swartz, Scott L.

Shukla, Vishwa See Amin, Ahmed

Simkovich, George See Pal, Uday B.

Simmons, Catherine J.; and Simmons, Joseph H.
Liquid-liquid immiscibility in mixed ZrF_4-ThF_4 glass. (9) C258

Simmons, Joseph H. See Simmons, Catherine J.

Sinclair, R. See Mecartney, M. L.

Siskens, C. A. M. See Van Dijen, F. K.

Slamovich, E. B. See Dalgleish, B. J.

Smialek, James L. See Jacobson, Nathan S.

Smith, Gary L. See Neilson, George F.

Smyth, Donald M. See Hu, Y. H.

Soga, Naohiro See Hirao, Kazuyuki

Soules, Thomas F. See Varshneya, Arun K.

Steeds, John W.; and Rhodes, Cecil G.
Reaction between Ti-6Al-4V and boron. (5) C136

Storz, L. J. See Dungan, R. H.

Struck, Charles W. See Onorato, Paulette I. K.

Stubican, Vladimir S. See Corman, Gregory S.

Stubican, Vladimir S.; Huzinec, G.; and Dumjanovic, Dragan.
Diffusion of ^{51}Cr in surface layers of magnesia, alumina, and spinel. (4) 181

Stutz, Doris H.; Prochazka, Svante; and Lorenz, Josef
Sintering and microstructure formation of β-silicon carbide. (9) 479

Subramanian, R. Shankar See McNeil, Thomas J.

Suganuma, Katsuaki; Okamoto, Taira; and Koizumi, Mitsue
Effect of thickness on direct bonding of silicon nitride to steel. (12) C334

Sugiura, Koji See Yamaguchi, Osamu

Suitch, Paul R. See Hann, Raiford E.

Susa, Kenzo See Satoh, Shin

Suscavage, Michael J.; and El-Bayoumi, Osama H.
Liquid-liquid phase separation in heavy-metal fluoride glass. (9) C256

Susnitzky, David W.; and Carter, Clive B.
Localization of potassium in Al_2O_3. (11) 569

Suwa, Yoshiko; Roy, Rustum; and Komarneni, Sridhar
Lowering crystallization temperatures by seeding in structurally diphasic Al_2O_3-MgO xerogels. (9) C238

Suyama, Ryuji; Ashida, Toshifumi; and Kume, Shoichi
Synthesis of the orthorhombic phase of ZrO_2. (12) C314

Suyama, Ryuji; Takubo, Hiroshi; and Kume, Shoichi
Synthesis of $Hf_{1-x}Zr_xO_2$ ($0<x<1$) with orthorhombic symmetry. (9) C237

Suyama, Yoko; and Kato, Akio
Effect of additives on the formation of TiO_2 particles by vapor phase reaction. (6) C154

Suzuki, Suguru; and Takahashi, Minoru
Free volume of metaphosphate glasses at the transition temperature. (5) C120

Swain, Michael V.
Limitation of maximum strength of zirconia-toughened ceramics by transformation-toughening increment. (4) C97

Swartz, Scott L.; Shrout, Thomas R.; and Schulze, Walter A.
Dielectric properties of lead-magnesium niobate ceramics—reply. (3) C87

Tabata, Hideyo See Kanzaki, Shuzo

Tachikawa, Enzo See Saeki, Masakatsu

Taguchi, Hideki; Takahashi, Yuzuru; and Miyamoto, Hiroki
Effect of milling on slip casting of partially stabilized zirconia. (10) C264

Takahashi, Minoru See Suzuki, Suguru

Takahashi, Yuzuru See Taguchi, Hideki

Takata, Masasuke See Molinelli, Joyce E.

Takeda, Yukio See Ogihara, S.

Takeuchi, Yoshimitsu See Watanabe, Akira

Takubo, Hiroshi See Suyama, Ryuji

Tang, Fulvio J. See Gartner, Ellis M.

Tawfik, A.
Elastic properties and sound wave velocity of PZT transducers doped with Ta and La. (12) C317

Taylor, Harry F. W.; Mohan, K.; and Moir, G. K.
Analytical study of pure and extended portland cement pastes: I, Pure portland cement pastes. (12) 680; Analytical study of pure and extended portland cement pastes: II, Fly ash- and slag-cement pastes. (12) 685

Tennenhouse, Gerald J.; Ezis, Andre; and Runkle, Franklin D.
Interaction of silicon nitride and metal surfaces. (1) C30

Tennery, Victor J. See Ferber, Mattison K.

Thomas, M. P.; Peterson, Norman Lee; and Hutchinson, E.
Tracer diffusion and electrical conductivity in sodium-rubidium silicon sulfide glasses. (2) 99

Thomson, John See O'Bryan, Henry M., Jr.

Thouless, Michael David
Spalling of flat plates by thermal shock. (4) C111

Tien, Gee-yang See Chou, Kan-sen

Tolino, David A.; and Blum, John B.
Effect of Ba:Ti ratio on densification of LiF-fluxed $BaTiO_3$. (11) C292

Tomozawa, Minoru
Concentration dependence of the diffusion coefficient of water in SiO_2 glass. (9) C251; See also Molinelli, Joyce E.

Tomsia, Antoni P.; Feipeng, Zhang; and Pask, Joseph A.
Reactions and bonding of sodium disilicate glass with chromium. (1) 20

Toyomasu, Shinsuke See Inagaki, Michio

Tran, Danh Cong See Friebele, E. Joseph

Traverse, Jean-Pierre See Aldebert, Pierre

Tredway, William K.; and Loehman, Ronald E.
Scandium-containing oxynitride glasses. (5) C131

Tregoat, Denis; Fonteneau, Gilles; and Moynihan, Cornelius T.
Surface –OH profile from reaction of a heavy-metal fluoride glass with atmospheric water. (7) C171

Tressler, Richard E. See Carroll, Daniel F.

Tripathi, S. N.; Chattopadhyay, G.; and Kerkar, A. S.
Thermodynamic stability of $UMoO_4$ by the transpiration method. (5) 232

Troczynski, Thomas B.; and Nicholson, Patrick S.
Resistance to fracture of a partially stabilized zirconia/β-alumina composite. (10) C277; Theory for the load-relaxation technique in fracture studies using four-point-bend chevron-notched specimens. (8) 439

Tsukuma, Koji; Ueda, Kuniyoshi; and Matsushita, Kenichi
High-temperature strength and fracture toughness of Y_2O_3-partially-stabilized ZrO_2/Al_2O_3 composites. (2) C56
Tsukuma, Koji; Ueda, Kuniyoshi; and Shimada, Masahiko
Strength and fracture toughness of isostatically hot-pressed composites of Al_2O_3 and Y_2O_3-partially-stabilized ZrO_2. (1) C4
Tucker, Dennis S.
Gamma-to-alpha transformation in spherical aluminum oxide powders. (7) C163
Tuller, Harry L. See McHale, A. E.
Twiggs, S. Warren; Ringle, R. D.; and Morena, Robert
Glass transition temperatures at rapid heating rates. (2) C58
Uchida, Kenji See Horiuchi, Shigeo
Uchida, Norimasa; Koizumi, Mitsue; and Shimoda, Masahiko
Fabrication of Si_3N_4 ceramics with metal nitride additives by isostatic hot-pressing. (2) C38
Ueda, Kuniyoshi See Tsukuma, Koji
Urashima, Kazuhiro See Inagaki, Michio
Valverde, Nilo
Oxygen sensors based on the electrical conductivity of the solid solutions $(Mg_{1-x}Fe_x)O$ and $(Mg_{1-x}Co_x)O$. (12) 657
Van Dijen, F. K.; Metselaar, R.; and Siskens, C. A. M.
Reaction-rate-limiting steps in carbothermal reduction processes. (1) 16
Varshneya, Arun K.; and Dumais, Glenn A.
Influence of externally applied stresses on kinetics of ion exchange in glass. (7) C165
Varshneya, Arun K.; Loo, Mike C.; and Soules, Thomas F.
Glass inhomogeneity measurement using the Shelyubskii method. (7) 380
Varshneya, Arun K.; and Marra, John E.
Stresses in Dumet-glass seals. (3) 127
Vest, Robert W. See Palanisamy, Ponnusamy; Sarma, Dwadasi H. R.
Virkar, Anil V.
Kinetics of precipitation from a dilute solid solution. (1) C11
Wald, John W. See Weber, William J.
Walker, George F. See Giess, Edward A.
Walker, Kenneth L. See McAfee, Kenneth B., Jr.
Watanabe, Akio See Haneda, Hajime
Watanabe, Akira; Takeuchi, Yoshimitsu; and Saeki, Goji
Growth of potassium titanate fibers in flowing N_2 gas. (11) C308
Watanabe, Koichi; and Giess, Edward A.
Coalescence and crystallization in powdered high-cordierite ($2MgO{\cdot}2Al_2O_3{\cdot}5SiO_2$) glass. (4) C102
Watanabe, Tadahiko; and Shoubu, Kazuhisa
Mechanical properties of hot-pressed TiB_2-ZrO_2 composites. (2) C34
Weber, William J.; Wald, John W.; and McVay, Gary L.
Effects of α-radiolysis on leaching of a nuclear waste glass. (9) C253
Weinberg, Michael C. See Neilson, George F.
Weinland, S. L. See Gourdin, W. H.
Weiss, Stuart J. See Gartner, Ellis M.
Welsch, Gerhard See Moeller, H.-Joachim
White, Grady S. See Freiman, Stephen W.
White, Paul See Fegley, Bruce, Jr.
Williams, W. David See Dickinson, J. Thomas
Williams, Wendell S. See Ramberg, Jeffrey R.
Wills, Roger R.; and McCoy, John Kevin
Interface-reaction-controlled kinetics in the hot isostatic pressing of submicrometer alumina powder. (4) C95
Wolfe, Cynthia F. See Ramberg, Jeffrey R.
Wolfenstine, Jeff; Dimos, Duane; and Kohlstedt, David L.
Decomposition of Ni_2SiO_4 in an oxygen potential gradient. (5) C117
Wu, Shun Jackson; De Jonghe, Lutgard C.; and Rahaman, Mohammed N.
Subeutectic densification and second-phase formation in Al_2O_3-CaO. (7) 385
Wu, Wen-long See Chou, Kan-sen
Wusirika, Raja Rao
Oxidation behavior of oxynitride glasses. (11) C294
Yamaguchi, Osamu; Matsui, Kazuhiro; and Kawabe, Takashi
Crystallization and transformation of distorted tetragonal $YNbO_4$. (10) C275
Yamaguchi, Osamu; Matsui, Kazuhiro; and Shimizu, Kiyoshi
Crystallization of hexagonal $BaNb_2O_6$. (7) C173
Yamaguchi, Osamu; Sugiura, Koji; and Mitsui, Akihiro
New compound in the system La_2O_3-Al_2O_3. (2) C44
Yamaguchi, Osamu; Sugiura, Koji; and Shimizu, Kiyoshi
Metastable modification of Y_4GeO_8. (4) C110
Yamai, Iwao; and Oota, Toshitaka
Low-thermal-expansion polycrystalline zirconyl phosphate ceramic. (5) 273
Yamamura, Hiroshi See Haneda, Hajime
Yamazaki, Koji See Hosono, Hideo
Yanagida, Hiroaki See Ohara, Yoshinobu
Yang, L. J. See Roy, Rustum
Yoshida, Tetsuro See Hirashima, Hiroshi
Zangvil, Avigdor See Knickerbocker, Sarah H.; Mazdiyasni, Kurt S.
Zdaniewski, Wieslaw A.
Role of microstructure and intergranular phases in stress corrosion of TiB_2 exposed to liquid aluminum. (11) C309

SUBJECT INDEX TO THE JOURNAL AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of the *Journal* and *Communications*; numbers following are *page* numbers.

Abrasives,
machining, crushing as mechanism of material removal during (4) 209
Acids,
concentration, role in leaching of cordierite and alkali borosilicate glass (10) C273
Acoustics,
properties, of PZT ceramics with anisotropic pores (11) 623
Additives,
BaO and C, hot-pressing of SiC with (8) C191
K_2O, effect on crystallization of high-Zn-content Li_2O-ZnO-SiO_2 glass-ceramic (4) 220
Si, suppression of frothing during synthesis of oxynitride glass by (7) C168
effect on formation, of TiO_2 particles (6) C154
glass, effect on particle-size-distribution in tape casting of $BaTiO_3$ (9) C233
gluconate, lignosulfonate, and glucose, effect on hydration of $4CaO{\cdot}Al_2O_3{\cdot}Fe_2O_3$ cement (5) C126
metal nitride, Si_3N_4 with, fabrication by isostatic hot-pressing (2) C38
rare-earth oxide, oxidation of Si_3N_4 sintered with (7) C160
Aging,
of PSZ, grain-boundary phase transformations during (4) 197
Aluminum
liquid, stress corrosion of TiB_2 exposed to (11) C309
Aluminum nitride
compatibility with Group VIII transition metals (12) C329
powder, dynamic compaction of (12) 674
Aluminum oxide,
-MgO xerogels, diphasic, lowering crystallization temp. by seeding (9) C238
MgO-doped, evaluation of grain-growth parameters (11) 597
-SiO_2, compsite, preparation and sintering behavior (3) C76
α-, doped with Si and Na, low-activation-energy conduction in (2) 71
small concentration of Cr and Fe in, ESR measurement (7) 409
α-polycrystalline, chemical state of Y in, microscopy (11) 559
β-, and Y_2O_3-PSZ, interfacial reactions between (7) C176
compacts, powder, laser-melted, solidification microstructures (5) C114
-containing liquids, surface tension of (2) 81
deformation, plastic, by explosive shock loading (12) 696
diffusion samples, single-crystal, characterization of near-surface region by Rutherford backscattering and channeling (12) 663
doped with Si, electrical conductivity of (2) 92
doped with Ti^{4+}, sintering, phase studies of (6) C156
gels, ^{27}Al NMR study (9) C243
grain-growth kinetics, in absence of liquid phase (1) C22
hot-pressed, swelling of (11) 591
localization of K in (11) 569
matrix composite, reinforced with SiC whiskers, creep deformation of (6) C144
polycrystalline, duality in creep rupture (11) 575
powder, hot isostatic pressing, interface-reaction-controlled kinetics in (4) C95
preparation by gas-phase oxidation of tris(acetylacetonato)Al(III) (8) C193
spherical, $\gamma \rightarrow \alpha$ transformation in (7) C163
scale, transport properties, determination of (6) 307
stress in, residual, measurement of (2) C67
surface layers, diffusion of ^{53}Cr in (4) 181
Analysis,
^{27}Al NMR, of gel precursors (9) C243
Auger, of hot-pressed and sintered SiC (1) C7
NMR, of portland cement hydration (1) 10
of problems in kaolinite-mullite reaction sequence(6) 293; (6) 298
of thermal reactions of pyrophyllite (5) 266
X-ray absorption, of chemical state of Y in α-Al_2O_3 (11) 559
cathodoluminescence, of phase distributions and deformation structures in ZrO_2 (8) C196
coordination-state, of Ge $K\alpha_{1,2}$ shifts (9) 490
dilatometric, and DTA, of $LiNbO_3$ (3) 147
ferrous/ferric Mossbauer, of simulated nuclear waste glass (12) 691
of indentation crack, as wedge-loaded half-penny (2) C65
of pastes, pure portland (12) 680
phase, of aluminas doped with Ti^{4+} (6) C156
thermodynamic, of CVD of SiC from Si-C-Cl-H gas systems (4) 185
Anisotropy,
of fracture toughness, of piezoelectric ceramics (5) 259
Annealing,
ZrO_2, Y_2O_3-doped tetragonal, in water, transformation by (6) 356
Y_2O_3-doped tetragonal, transformation by (12) C320
Atoms,
O, bridging and nonbridging, in alkali aluminosilicate glasses (6) C148
metal, zerovalent, evidence for diffusion during glass/metal sealing (11) C298
Barium,
BaCl and $BaSO_4$, interaction at high temps. (2) C42
$BaNb_2O_6$, hexagonal, crystallization of (7) C173
BaO, solubility in $BaTiO_3$ (7) 372
$BaO{\cdot}Al_2O_3{\cdot}5TiO_2$, identification in system BaO-Al_2O_3-TiO_2 (1) C32
$BaTi_4O_9$, $Ba_4Ti_{13}O_{30}$, and $Ba_6Ti_{17}O_{40}$, temp.-dependent, for $BaTi_4O_9$, $Ba_4Ti_{13}O_{30}$, and $Ba_6Ti_{17}O_{40}$ (2) C70
$BaZn_{1/3}Ta_{2/3}O_3$, microwave loss quality of (10) 546
:Ti ratio, effect on densification of LiF-fluxed $BaTiO_3$ (11) C292
Barium titanate,
BaO in, solubility (7) 372
LiF-fluxed, effect of Ba:Ti ratio on densification (11) C292
PTCR effect in (10) 555
electrical resistance, effect of grain-boundary characteristics (11) 582
piezoelectric, made from fibrous particles (4) C108
semiconducting properties, effects of mechanical processing on (7) C167
tape casting, effect of glass additions on particle size distribution (9) C233
Bismuth,
Bi_2O_3, doped with PbF_2, β-phase based superstructure in (9) C220
Boehmite,
sol-gel, transformation and sintering by α-Al_2O_3 seeding (9) 500
Bonding,
direct, of Si_3N_4 to steel, effect of Si_3N_4 thickness (12) C334
Borides,
TiB_2, exposed to liquid Al, role of microstructure and intergranular phases in stress corrosion (11) C309
resistance to high-temp. plastic yielding (3) C78
Boron,
B_4C, abnormal grain growth and microcracking in (9) C235
BN, hexagonal, electrical resistivity and microwave transmission of (3) 131
and Ti-6Al-4V, reaction between (5) C136
coordination, in rapidly cooled and in annealed Al borosilicate glass fibers (3) C82
Brittle materials,
fracture, in presence of thermoelastic stresses—comment (12) C335
in presence of thermoelastic stresses—reply (12) C338
reliability, evaluation by thermal stress testing (7) 363
Calcium,
$CaMoO_4$, crystals, flux growth of (9) C240
hydroxide and sulfates, in fresh portland cement pastes, saturation factors (12) 667
Calcium oxide,
surfaces, segregation of isovalent impurity cations at (2) 74
Capacitors,
$SrTiO_3$, Na- and K-diffused, exhibiting varistor behavior, microstructure, and electrical properties (11) C300
microstructure and electrical properties (4) 169
Carbides,
siliconized, time-dependent strength under stress (3) 143
Carbonates,
alkali, molten, stability of metal-oxide-doped ZnO in (8) 456
Cements,
$4CaO{\cdot}Al_2O_3{\cdot}Fe_2O_3$, effect of gluconate, lignosulfonate, and glucose on hydration (5) C126
glass-fiber-reinforced, with different alkali-resistant fibers, durability of (4) 203
pastes, fly ash- and slag-, analytical study (12) 685
pure portland, analytical study (12) 680
portland, saturation factors for $Ca(OH)_2$ and Ca sulfates (12) 667
portland, hydration, NMR line shape—spin-lattice relaxation correlation study (1) 10
Ceramic-metal systems,
strips, residual stresses in (5) 241
Ceramics,
ZnO and Pt-ZnO, gas-sensing characteristics (1) 40
ZrO_2-toughened, limitation of max strength (4) C97
fracture toughness, measured by chevron-notch diametral-compression test (12) C325
lightweight, based on hollow spheres, mechanical properties (7) 395
from sintering of hollow spheres, fabrication and properties (7) 403
microstructure-strength properties, effect of crack size on toughness (11) 604
fatigue relations (11) 616
nuclear waste, with high ZrO_2 content, phase formation in hot pressing (3) 159
with high ZrO_2 content, phase formation in hot pressing—correction (7) 418
voids, surface, elimination of (6) 342
Cerium,
oxalate and oxide, thermodynamic properties (8) C206
Chemical properties,
durability, of glass-fiber-reinforced cements (4) 203
leach resistance, of N-containing Na_2O-CaO-SiO_2 glasses (11) C305
Chemistry,
Si-S-N, for synthesis of Si_3N_4 (12) 699
synthesis, self-propagating, intrinsic volume changes of (5) C122
thermo-, of Na borosilicate glasses (6) 314
transport properties, of oxide scales, procedures for determining (6) 302
Chlorides,
incorporation, effect on crystallization of Zr-Ba-La-Al fluoride glass (11) 629
Chromium,
reactions and bonding, with Na disilicate glass (1) 20
Classification,
of ferrospinels (1) C2
Colloids,
Al_2O_3, ^{27}Al NMR study (9) C243
Al_2O_3-MgO xerogels, diphasic, lowering crystallization temp. by seeding (9) C238
TiO_2, microstructure and new method for making (2) C41
diphasic xero-, new class of material—comment (3) C85
new class of materials—reply (3) C85
heating and melting of, microwave (7) 392
porous, experimental sintering of (7) 399
Compaction,
dynamic, of AlN powder (12) 674
shock, of SiC powder (12) C322
Compacts,
homogeneously packed, intermediate-stage sintering of—comment (10) C290
intermediate-stage sintering of—reply (10) C290
powder, laser-melted, solidification microstructures (5) C114
stability of pore channels (1) C14
Composites,
Al_2O_3 and Y_2O_3-PSZ, hot-pressed, strength and fracture toughness (1) C4
Al_2O_3 matrix, reinforced with SiC whiskers, creep deformation of (6) C144
Al_2O_3-SiO_2, fine-grained, preparation and sintering behavior (3) C76
Al_2O_3-diamond, sintered, effects of heat treatment on fracture toughness (2) C36
$MoSi_2$ matrix, and SiC whiskers, feasibility of (8) C200
TiB_2-ZrO_2, hot-pressed composites, mechanical properties (2) C34
Y_2O_3-PSZ/Al_2O_3, high-temp. strength and fracture toughness (2) C56
ZrO/β-Al_2O_3, resistance to fracture (10) C277
ceramic matrix/fiber, room temp. mechanical properties (1) C27
failure mechanisms in (5) 225
containing dicalcium silicate, transformation toughening in (9) C259
diamond/Si_3N_4, high-pressure sintered, fracture toughness (10) 271
fiber-reinforced glass-ceramic-matrix, high-temp. mechanical behavior (9) C248
Compounds,
new, in system La_2O_3-Al_2O_3 (2) C44
Conduction,
ionic, low-activation-energy, in α-Al_2O_3 doped with Si and Na (2) 71
Conductivity,
electrical, of Al_2O_3, doped with Si (2) 92
in glasses, Na-Rb SiS_2 (2) 99
in glasses, PbO-P_2O_5-V_2O_5 (9) 486
in glasses, alkali-doped Zr-Ba-La-Al fluoride (7) C177
high-temp., in Al oxynitride spinel (8) C210
ionic, of electrolytes, effect of interfacial space-charge polarization on (10) 538
systems, ZrO_2-Yb_2O_3-Y_2O_3 (4) 174
thermal, of SiC, containing BeO, effect of impurity and carrier concentrations (1) C16
Cordierite,
high-, glass, coalescence and crystallization (4) C102

Corrosion,
of SiC, exposed to basic coal slags (4) 191
hot, of sintered α-SiC (8) 432
stress, of TiB_2 exposed to liquid Al, role of microstructure and intergranular phases (11) C309
Crack,
Palmqvist, extension and center-loaded penny crack analogy (2) C51
growth, in cordierite glass-ceramics, effect of crystallites (3) 112
determination of v-K_I curves from static bend tests (8) C213
environmentally enhanced, in Na_2O-CaO glass (3) 108
healed, in silicate glass, closure, and repropagation of (11) 586
healing, in glass (12) 704
hypotheses, sharp vs blunt, in glass strength (1) 25
indentation, as wedge-loaded half-penny, analysis of (2) C65
indenter geometry, for a glass-ceramic (10) C282
size, effect on strength of ceramics (11) 604
-tip geometry, of SiO_2 glass—further comment (10) C288
Cracking,
in metal/ceramic systems, for microelectronic packaging (3) 120
micro-, in B_4C (9) C235
Creep,
in bending, damage analysis of (9) 483
rupture, of engineering materials, effect of shear bands (1) 44
of polycrystalline Al_2O_3, duality in (11) 575
Crushing,
as mechanism of material removal, during abrasive machining (4) 209
Crystalinity,
of $KZr_2P_3O_{12}$, improvement by sol-gel synthesis (9) C224
Crystallites,
in glass-ceramics, cordierite, effect on crack growth and strength (3) 112
Crystallization,
of $BaNb_2O_6$, hexagonal (7) C173
of $YNbO_4$, distorted tetragonal (10) C275
of glass, Zr-Ba-La-Al fluoride, effect of chloride incorporation (11) 629
of glass-ceramics, high-Zn-content Li_2O-ZnO-SiO_2 (4) 220
of glasses, powdered high-cordierite (4) C102
temp., of diphasic Al_2O_3-MgO xerogels, lowering by seeding (9) C238
Crystals,
$CaMoO_4$, flux growth of (9) C240
$LiNbO_3$, congruent composition and Li-rich phase boundary (9) 493
SiC, in $MoSi_2$ matrix, feasibility of a composite of (8) C200
$YNbO_4$, distorted tetragonal, crystallization and transformation of (10) C275
ZrO_2, effect of densification conditions on stabilization of tetragonal phase (9) C242
thermal expansion behavior (9) C228
Decomposition,
of Ni_2SiO_4, in O potential gradient (5) C117
Defects,
in β-Ta_2O_5 (12) 646
Nb_2O_5-doped (12) 651
Deformation,
creep, in Al_2O_3 matrix composite reinforced with SiC whiskers (6) C144
plastic, in Al_2O_3 by explosive shock loading (12) 696
superplastic, in MgO·$2Al_2O_3$ spinel (10) 522
Densification,
of $BaTiO_3$, LiF-fluxed, effect of Ba:Ti ratio (11) C292
of α-SiC (10) C269
conditions, effect on stabilization of tetragonal phase in ZrO_2 polycrystals (9) C242
subeutectic, in Al_2O_3-CaO (7) 385
Deposition,
CVD, of SiC from Si-C-Cl-H gas systems (4) 185
Deuterium,
ion implantation, in SiO_2, comparison with D_2 doping (3) 151
Diagrams,
phase, pressure-temp., of ZrO_2 (9) 497
of system Al_2O_3-Nd_2O_3 (3) 105
volatility, of gas-solid reactions (2) 49
Diamond,
/Si_3N_4, composites, sintered, fracture toughness (10) 271
Dielectric materials,
Pb-Fe niobate, fast firing (6) C140
Pb-Mg niobate, properties—comment (3) C86
properties—reply (3) C87
Dielectric properties,
of Pb-Mg niobate—comment (3) C86
—reply (3) C87
Diffusion,
of ^{51}Cr, in surface layers of MgO, Al_2O_3, and spinel (4) 181
Na, in Na aluminophosphate glasses (7) C181
O self-, in single-crystal Mn-Zn ferrite (2) C53
cation, in SiO_2 light guides, measurement of (9) C246
demixing by (1) 1
grain growth and grain boundary, of O_2 in oxides, diffusion-compensation relation for (2) C62
of metal atoms, zerovalent, during glass/metal sealing (11) C298
samples, single-crystal Al_2O_3, characterization by Rutherford backscattering (12) 663
tracer, in Na-Rb SiS_2 glasses (2) 99
of water, in SiO_2 glass, concentration dependence (9) C251
Diffusivity,
thermal, laser-flash method for determining (1) C12
Dilatometry,
characterization of $LiNbO_3$ by (3) 147
Dispersion,
Si-Y_2O_3, ion-exchange treatment of (3) C83
Elasticity,
photo-, in phosphate glasses (7) 389
properties, of PZT ceramics with anisotropic pores (11) 623
of transducers, PZT doped with Ta and La (12) C317
Electrical properties,
of PZT, Nb_2O_5-modified, relation to chemical and mechanical properties (10) 530
of capacitors, Na- and K-diffused $SrTiO_3$ exhibiting varistor behavior (11) C300
$SrTiO_3$ (4) 169
electrostriction, in PLZT (8) 459
of glasses, Pb fluorosilicate (10) 551
microwave loss quality, of $BaZn_{1/3}Ta_{2/3}O_3$ (10) 546
resistivity, of SiC ceramics containing BeO, effect of impurity and carrier concentration (1) C16
of hexagonal BN (3) 131
Electrolytes,
composite, effect of interfacial space-charge polarization on ionic conductivity (10) 538
Electronics,
$BaO·Al_2O_3·5TiO_2$, identification in system BaO-Al_2O_3-TiO_2 (1) C32
packaging, residual stresses and cracking in metal/ceramic systems for (3) 120
Emission,
fracto-, from PZT (5) 235
from failure of metal/glass interfaces (9) 510
Energy,
anisotropic surface, driving force for sintering particles with (10) C267
Equations,
spinodal, eigensolution of (8) C208
Equilibrium,
between Sn and Na_2O-CaO glass, effect of atm and temp. on (8) C195
Fatigue,
dynamic, in ceramics (11) 616
of glass fibers, optical, containing microindentation flaws (11) 563
Ferrites,
Mn-Zn, single-crystal, O self-diffusion in (2) C53
Fiber optics,
SiO_2, measurement of cation diffusion in (9) C246
containing microindentation flaws, strength and fatigue properties (11) 563
polymer-coated, effect of moist NH_3 on strength (4) C90
Fibers,
K titanate, growth in flowing N_2 gas (11) C308
testing of, strength (8) C202
Films,
RuO_2-glass, resistors, kinetics of liquid spreading and penetration (5) 249
ceramic, constrained by rigid substrate, sintering behavior (6) 287
Firing,
atm, effect on $ZnAl_2O_4$ formation (2) 58
Flow,
surface-tension-driven, in glass melts (5) 254
Formation,
of $ZnAl_2O_4$, effect of physical nature of powders and firing atm (2) 58
glass, in system CaO-Ga_2O_3-GeO_2 (11) 637
of glasses, Ca aluminosilicate (3) 155
microstructure, of β-SiC (9) 479
second-phase, in Al_2O_3-CaO (7) 385
Fracture,
of Si_3N_4, reaction-bonded, Y_2O_3-doped sintered (7) 413
of brittle solids, in presence of thermoelastic stresses—comment (12) C335
in presence of thermoelastic stresses—reply (12) C338
and crack healing, in glass (12) 704
impact, of tempered glass helicopter windshields (1) C18
indentation, effect of cyclic tangential loads (9) 505
mechanism, in ceramic-fiber/ceramic-matrix composites (5) 225
mixed-mode, of hot-pressed Si_3N_4 (6) 348
resistance, of partially stabilized ZrO_2/β-Al_2O_3 composites (10) C277
studies, with 4-point-bend chevron-notched specimens, theory for load-relaxation technique (8) 439
toughness, of Y_2O_3-PSZ/Al_2O_3 composites (2) C56
of hot-pressed Al_2O_3 and Y_2O_3-PSZ composites (1) C4
measured by chevron-notch diametral-compression test (12) C325
of sintered diamond/Si_3N_4 composites (10) 271
Fuels,
fast-reactor, review of thermophysical properties (3) 139
Gas,
-solid reactions, graphic displays of thermodynamics (2) 49
Germanates,
Y_2GeO_5, metastable modification of (4) C110
Germanium,
$K\alpha_{1,2}$ shifts, due to coordination (9) 490
Glass,
Ag borate, preparation and properties (8) 450
Ca aluminate, dopant-free uv-sensitive (11) C304
Ca aluminosilicate, formation and properties (3) 155
La borate, effect of R^{3+} ions on structure and properties (12) 641
Li galliosilicate, transformation-range behavior (6) 326
$Li_2O·3SiO_2$ and $Na_2O·3SiO_2$, differences in surface behavior of alkali ions (7) 376
Li_2O-$(Al,Ga)_2O_3$-SiO_2, transformation-range behavior (9) C232
(Li,Na) and (^7Li,^6Li) triborate, ^7Li NMR in (1) C24
$2MgO·2Al_2O_3·5SiO_2$, powdered, coalescence and crystallization (4) C102
Na aluminophosphate, Na diffusion in (7) C181
Na borate, Eu^{3+}-doped, molecular dynamic simulation and fluorescence spectra (10) 515
Na borosilicate, thermochemistry (6) 314
Na disilicate, reactions and bonding with Cr (1) 20
Na titanate, alkali oxide rich (10) C266
Na_2O-CaO, environmentally enhanced crack growth in (3) 108
equilibrium with molten Sn, effect of atm and temp. (8) C195
indented, effect of contact residual stress relaxation on fracture strength (11) 632
Na_2O-CaO-SiO_2, N-containing, leach resistance of (11) C305
Na-K borate, viscosity and thermal expansion (9) 463
Na-Rb SiS_2, tracer diffusion and electrical conductivity (2) 99
Pb fluorosilicate, properties of (10) 551
PbO-P_2O_5-V_2O_5, electrical conductivity of (9) 486
SiO_2, Ge-doped, thermodynamic stability and incorporation of P into (6) 359
concentration dependence of diffusion of water in (9) C251
crack-tip geometry—further comment (10) C288
Zr-Ba-La-Al fluoride, alkali-doped, electrical conductivity (7) C177
effect of chloride incorporation on crystallization (11) 629
ZrF_4, irradiated, optical absorption of Cl-associated defect centers (10) C279
ZrF_4-ThF_4, mixed, liquid-liquid immiscibility in (9) C258
alkali aluminosilicate, bridging and nonbridging O atoms in (6) C148
cordierite and alkali borosilicate, role of acid concentration in leaching (10) C273
heavy-metal fluoride, liquid-liquid phase separation in (9) C256
reaction with atm water, surface -OH profile (7) C171
inhomogeneity, by Shelyubskii method (7) 380
ion exchange in, effect of applied stresses on kinetics (7) C165
lanthanide borate, structure-property relations (7) 368
melt, mixed-nitrate, formation of ZnO hemispheres from (12) C315
surface-tension-driven flow in (5) 254
metaphosphate, free vol. at transition temp. (5) C120
nuclear waste, effects of α-radiolysis on leaching (9) C253
ferrous/ferric Mossbauer analysis without computer fitting (12) 691
oxynitride, Sc-containing (5) C131
oxidation behavior (11) C294
suppression of frothing by Si addition during synthesis (7) C168
phase-separated, leached, stress in (8) 419
phosphate, N-doped, preparation and properties (8) C188
photoelastic effects in (7) 389
reduced, reversible optical change of amorphous red P in (1) 7
powders, spherical cordierite-type, isothermal sintering of (12) C328
rare-earth fluoride, polarized Raman scattering in (4) C92
ruby, produced in Pt-Au crucible (9) C221
silicate, SIMS study, interpretation of (5) C134
closure and repropagation of healed cracks in (11) 586
strength, sharp vs blunt crack hypotheses (1) 25
systems, $BaO·Al_2O_3·TiO_2$, identification of $BaO·Al_2O_3·5TiO_2$ in—comment (1) C32
CaO-Ga_2O_3-GeO_2, glass formation and properties (11) 637
Na_2O-H_2O-SiO_2, Na transport in (3) 165
tempered, helicopter windshields, impact fracture of (1) C18
transition temps., at rapid heating rates (2) C58
work of fracture and crack healing in (12) 704
xerogels, diphasic, new class of materials—comment (3) C85
diphasic, new class of materials—reply (3) C85
Glass-ceramics,
cordierite, effect of crystallites on crack growth and strength (3) 112
high-Zn-content Li_2O-ZnO-SiO_2, crystallization and effect of K_2O additions (4) 220
indenter flaw geometry and fracture toughness (10) C282
Glass fibers,
Al borosilicate, rapidly cooled and annealed, B coordination in (3) C82
cements reinforced with, durability (4) 203
Grain boundaries,
characteristics, effect on electrical resistance of $BaTiO_3$ (11) 582
special, in MgO, segregation at (12) C331
Grain growth,
in ZrO_2, CaO-stabilized, in presence of liquid phase (3) C80
abnormal, in B_4C (9) C235
kinetics, for Al_2O_3 in absence of liquid phase (1) C22
parameters, evaluation of (11) 597

Hafnium,
$Hf_{1-x}Zr_xO_2$, with orthorhombic symmetry, synthesis of (9) C237
HfO_2, monolithic crystals structures, XRD study (10) C285
Heat,
treatment, effect on fracture toughness of Al_2O_3-diamond composites (2) C36
Heating,
microwave, of gels (7) 392
rates, rapid, glass transition temps. at (2) C58
Homogeneity,
in-, of glasses, measurement by Shelyubskii method (7) 380
Hydration,
of cements, $4CaO{\cdot}Al_2O_3{\cdot}Fe_2O_3$, effect of gluconate, lignosulfonate, and glucose (5) C126
portland, NMR line shape—spin-lattice relaxation correlation study (1) 10
Hydrolysis,
Zr alkoxide, ZrO_2-Al_2O_3 powders by (2) C60
Immiscibility,
liquid, in alkali-free CaO-FeO-MgO-Al_2O_3-SiO_2-TiO_2 melt, vector presentation (5) C129
liquid-liquid, in mixed ZrF_4-ThF_4 glass (9) C258
Impact,
fracture, of tempered glass helicopter windshields (1) C18
Impurities,
effect on morphology, of SiC whiskers (6) C142
Indentation,
crack, as wedge-loaded half-penny, analysis of (2) C65
fracture, effect of cyclic tangential loads (9) 505
Interfaces,
metal/glass, fractoemission from failure of (9) 510
Ions,
Cr and Fe, in α-Al_2O_3, ESR measurement (7) 409
D^+, implantation in SiO_2, comparison with D_2 doping (3) 151
R^{3+} (R = Al,Ga), effect on structure and properties of La borate glasses (12) 641
alkali, in $Li_2O{\cdot}3SiO_2$ and $Na_2O{\cdot}3SiO_2$ glasses, differences in surface behavior (7) 376
cation, distribution in Fe_3O_4-$FeAl_2O_4$ (3) C74
isovalent impurity, segregation at surfaces of MgO and CaO (2) 74
exchange, in glass, effect of applied stresses on (7) C165
treatment of Si-Y_2O_3 dispersions (3) C83
Iron,
Fe_3O_4-$FeAl_2O_4$, cation distribution in (3) C74
Joining,
Si_3N_4 (9) 472
Kaolinite,
-mullite reaction sequence, problems in, NMR study (6) 293; (6) 298
Kinetics,
grain-growth, for Al_2O_3 in absence of liquid phase (1) C22
interface-reaction-controlled, in hot isostatic pressing of Al_2O_3 powder (4) C95
of ion exchange, in glass, effect of applied stresses on (7) C165
precipitation, of dilute solid solution (1) C11
Leaching,
of glass, cordierite and alkali borosilicate, role of acid concentration (10) C273
of glasses, nuclear waste, effects of α-radiolysis (9) C253
resistance, of N-containing Na_2O-CaO-SiO_2 glasses (11) C305
Lead,
PLZT, electrostriction in (8) 459
PZT, Nb_2O_5-modified, relation between mechanical, chemical, and electrical properties (10) 530
with anisotropic pores, acoustic and elastic properties (11) 623
fractoemission from (5) 235
solid solutions, structural dependence on sintering temp. (10) 533
Liquids,
Al_2O_3-containing, surface tensions of (2) 81
Lithium,
$LiNbO_3$, characterization by dilatometry and DTA (3) 147
-rich phase boundary, of $LiNbO_3$ (9) 493
Machining,
abrasive, crushing as mechanism of material removal during (4) 209
Magnesium,
segregation, to surface of doped sapphire (5) 281
Magnesium oxide,
boundaries, special, segregation at (12) C331
equation-of-state calculations, parameter-free (5) 278
grain-growth parameters, evaluation of (11) 597
surface, layers, diffusion of ^{51}Cr in (4) 181
segregation of isovalent impurity cations at (2) 74
Materials, engineering,
Si_3N_4, hot-pressed, mechanical properties (4) C99
composites, fiber-reinforced ceramic-matrix, room temp. mechanical properties (1) C27
rupture, creep, effect of shear bands (1) 44
siliconized carbide, under stress, time-dependent strength of (3) 143
zirconyl phosphate, low-thermal-expansion (5) 273
Materials, raw,
ferrospinels, classification of (1) C2
Materials,
demixing, under chemical potential gradients (1) 1
Measurement,
ESR, of small concentration of Cr and Fe in α-Al_2O_3 (7) 409
of cation diffusion, in SiO_2 light guides (9) C246
of glass inhomogeneity, Shelyubskii method (7) 380
residual stress, in Al_2O_3 and SiC (2) C67
Mechanical properties,
of PZT, Nb_2O_5-modified, relation to chemical and electrical properties (10) 530
at room temp., of fiber-reinforced ceramic-matrix composites (1) C27
of Si_3N_4, hot-pressed (4) C99
joined (9) 468
of composites, hot-pressed TiB_2-ZrO_2 (2) C34
high-temp., of fiber-reinforced glass-ceramic-matrix composites (9) C248
of lightweight ceramics, based on hollow spheres (7) 395
made from sintering hollow spheres (7) 403
of mullite, nonstoichiometric (1) C6
Melting,
microwave, of gels (7) 392
Melts,
CaO-FeO-MgO-Al_2O_3-SiO_2-TiO_2, alkali-free, vector presentation of liquid immiscibility in (5) C129
PbO-SiO_2, p_{O_2}, dependence of Pb ion transport (4) C104
glass, mixed-nitriate, formation of ZnO hemispheres from (12) C315
ionic, current-induced segregation in (2) 86
Metals,
/glass interface, fractoemission from failure of (9) 510
transition, Group VIII, compatibility of AlN with (12) C329
Microscopy,
electron, microstructure of Synroc C and E by (2) 64
ultramicrotoming of ceramic powders for (9) C222
scanning electron, suppression of insulator charging (10) C286
of state of Y, in α-polycrystalline Al_2O_3 (11) 559
Milling,
ZrO_2, partially stabilized, effect on slip casting (10) C264
Minerals,
silicate, SIMS study, intrepretation of (5) C134
Mobility,
ionic, in ZrO_2 (1) 34
Models,
molecular dynamic, of Eu^{3+}-doped sodium borate glasses and their fluorescence spectra (10) 515
Molybdates,
$CaMoO_4$, crystals, flux growth of (9) C240
Morphology,
of SiC, whiskers, effect of impurities on (6) C142
Mullite,
nonstoichiometric, sintering and mechanical properties (1) C6
Nickel,
Ni_2SiO_4, decomposition in O potential gradient (5) C117
Niobates,
$LiNbO_3$, congruent composition and Li-rich phase boundary of (9) 493
Pb-Fe, fast-firing dielectric ceramic (6) C140
Pb-Mg, dielectric properties—comment (3) C86
dielectric properties—reply (3) C87
$YNbO_4$, distorted tetragonal, crystallization and transformation (10) C275
Nitrogen,
ceramics, effect of Si activity on liquid-phase sintering (5) C124
-containing Na_2O-CaO-SiO_2 glasses, leach resistance (11) C305
-doped phosphate glasses, preparation and properties (8) C188
effect on α/β phase conversion, in Si_3N_4 (9) C226
flowing gas, growth of K titanate fibers in (11) C308
Nuclear materials,
$UMoO_4$, thermodynamic stability (5) 232
fuel, fast-reactor, review of thermophysical properties (3) 139
wastes, ceramic, crystalline-phase formation in hot pressing of (3) 159.
ceramic, crystalline-phase formation in hot pressing of—correction (7) 418
effects of α-radiolysis on leaching of glass for (9) C253
ferrous/ferric Mossbauer analysis of simulated glass for (12) 691
forms, crystalline titanate, leaching and radiation damage (6) 330
with high ZrO_2 content, crystalline-phase formation by hot isostatic pressing (3) 159
Optical properties,
photoelastic effects, in phosphate glasses (7) 389
reversible change, of red P in reduced phosphate glasses (1) 7
Oxidation,
of Pd, in presence of Ag (4) C106
of Si_3N_4, sintered with rare-earth oxide additions (7) C160
behavior, of oxynitride glasses (11) C294
Oxides,
diffusion of O_2 in, grain growth and grain-boundary, diffusion-compensation relation for (2) C62
scales, transport properties, procedure for determining (6) 302
Oxygen,
atoms, bridging and nonbridging, in alkali aluminosilicate glasses (6) C148
diffusion in oxides, grain growth and grain-boundary, diffusion-compensation relation for (2) C62
p_{O_2}, dependence of Pb ion transport in PbO-SiO_2 melts on (4) C104
potential gradient, decomposition of Ni_2SiO_4 in (5) C117
self-diffusion, in single-crystal Mn-Zn ferrite (2) C53
sensors, based on solid solutions $(Mg_{1-x}Fe_x)$ and $(Mg_{1-x}Co_x)$ (12) 657
Packaging,
microelectronic, metal/ceramic systems, residual stresses and cracking in (3) 120
Palladium,
in presence of Ag, oxidation and reduction (4) C106
Particles,
TiO_2, effect of additives on formation by vapor phase reaction (6) C154
with anisotropic surface energies, driving force for sintering (10) C267
size, distribution, in calcined powders (5) C118
-size-distribution, in tape casting of $BaTiO_3$, effect of glass additions (9) C233
Pastes,
cement, portland, saturation factors for Ca hydroxide and Ca sulfates in (12) 667
pure and extended portland, analytical study (12) 680; (12) 685
Phase equilibria,
systems, Li_2O-Na_2O-Al_2O_3-SiO_2 (2) C48
$LiAlSiO_4$-$NaAlSiO_4$-SiO_2 (2) C46
Sc_2O_3-WO_3 (2) C68
ZrO_2-Yb_2O_3-Y_2O_3, and ionic conductivity (4) 174
Phases,
characterization, of PSZ, by Raman spectroscopy (8) C184
Phosphates,
$KZr_2P_3O_{12}$, improvement of crystallinity by sol-gel synthesis (9) C224
zirconyl, polycrystalline low-thermal-expansion (5) 273
Phosphorus,
red, amorphous, in reduced phosphate glasses, reversible optical change of (1) 7
Photosensitive materials,
glasses, dopant-free uv-sensitive Ca aluminate (11) C304
Physical properties,
of α-SiC (10) 269
of glasses, Ag borate (8) 450
Pb fluorosilicate (10) 551
thermo-, of fast-reactor fuel (3) 139
Physicochemical properties,
of glasses, Ca aluminosilicate (3) 155
N-doped phosphate (8) C188
in system CaO-Ga_2O_3-GeO_2 (11) 637
Physics,
crack extension, Palmqvist, and center-loaded penny crack analogy (2) C51
Piezoelectric materials,
K_{1C}, anisotropy of (5) 259
$BaTiO_3$, made from fibrous particles (4) C108
ultrasonic characteristics, noncontact (6) C146
Platinum,
-Au crucible, ruby glass produced in (9) C221
Polarization,
interfacial space-charge, effect on ionic conductivity of composite electrolytes (10) 538
Pores,
anisotropic, acoustic and elastic properties of PZT ceramics with (11) 623
channels, in powder compacts, stability of (1) C14
Porous materials,
ZnO and Pt-ZnO, gas-sensing characteristics (1) 40
gels, experimental sintering of (7) 399
Potassium,
in Al_2O_3, localization of (11) 569
Powders,
Al_2O_3, hot isostatic pressing of (4) C95
preparation by oxidation of tris(acetylacetonato)Al(III) (8) C193
spherical, $\gamma \rightarrow \alpha$ transformation in (7) C163
AlN, dynamic compaction of (12) 674
Si, sintering (6) 320
SiC, coarse, shock consolidation of (12) C322
β'-sialon, carbothermal reduction processes in (1) 16
ZrO_2, tetragonal, metastability of (3) 135
ZrO_2-Al_2O_3, by Zr alkoxide hydrolysis (2) C60
calcined, particle size distributions in (5) C118
ceramic, ultramicrotoming for electron microscopy (9) C222
glass, spheroidized cordierite-type, isothermal sintering of (12) C328
Precipitation,
from solid solution, dilute, kinetics of (1) C11
Pressing,
hot isostatic, of Al_2O_3 powder (4) C95
of Si_3N_4 with metal nitride additives (2) C38
hot, of SiC with BaO and C additions (8) C191
hot isostatic, crystalline-phase formation in nuclear wastes with high ZrO_2 content by (3) 159
crystalline-phase formation in nuclear wastes with high ZrO_2 content by—correction (7) 418
Pyrophyllite,
thermal reactions of, ^{27}Al and ^{29}Si NMR spectroscopy (5) 266
Reactions,
of $BaCl_2$ and $BaSO_4$, at elevated temps. (2) C42
between Na_2CO_3 and SiO_2 sand (6) 337
between Si_3N_4 and metal surface (1) C30
gas-solid, displays of thermodynamics, application to oxidation of metals and evaporation of oxides (2) 49
of heavy-metal fluoride glass with atm water, surface -OH profile (7) C171

interfacial, with β-Al_2O_3 and Y_2O_3-PSZ (7) C176
kaolinite-mullite, outstanding problems in, NMR study (6) 293; (6) 298
thermal, of pyrophyllite, ^{27}Al and ^{29}Si NMR study (5) 266
Reduction,
of Pd, in presence of Ag (4) C106
carbothermal, in production of α′-sialon powders (1) 16
Relaxation,
contact residual stress, effect on fracture strength of indented Na_2O-CaO glass (11) 632
Resistance,
electrical, of $BaTiO_3$, effect of grain-boundary characteristics (11) 582
Resistivity,
electrical, PTCR, in $BaTiO_3$ (10) 555
Resistors,
electrical, film, RuO_2-glass, kinetics of liquid spreading and penetration (5) 249
thick-film, liquid-phase sintering (8) C215
Resonance,
^7Li NMR, in (Li,Na) and (^7Li,^6Li) triborate glasses (1) C24
Rupture,
creep, duality in polycrystalline Al_2O_3 (11) 575
of engineering materials, effect of shear bands (1) 44
Sands,
SiO_2, reaction with Na_2CO_3 (6) 337
Sapphire,
doped, segregation of Mg to surface of (5) 281
Scandium,
in glasses, oxynitride (5) C131
Scattering,
Raman, in rare-earth fluoride glasses (4) C92
Rutherford, characterization of single-crystal Al_2O_3 diffusion samples by (12) 663
Seals,
Dumet-glass, stress in (3) 127
glass/metal, evidence for diffusion of zerovalent metal atoms during (11) C298
Segregation,
of Mg, to surface of doped sapphire (5) 281
current-induced, in ionic melts (2) 86
at special boundaries, in MgO (12) C331
Semiconductors,
$BaTiO_3$, effect of mechanical processing on properties (7) C167
Sensors,
ZnO and Pt-ZnO, porous (1) 40
oxygen, based on solid solutions ($Mg_{1-x}Fe_x$) and ($Mg_{1-x}Co_x$) (12) 657
Separation,
liquid-liquid phase, in heavy-metal fluoride glass (9) C256
Shock,
compaction, of SiC powder (12) C322
explosive, plastic deformation in Al_2O_3, by (12) 696
thermal, spalling of flat plates by (4) C111
Sialons,
β′-, powders, carbothermal reduction processes in (1) 16
Silicates,
dicalcium, transformation toughening in composites containing (9) C259
glass, closure and repropagation of healed cracks in (11) 586
Silicon,
Al_2O_3 doped with, electrical conductivity (2) 92
$SiCl_4$, production of Si_3N_4 from (12) 699
-Y_2O_3 dispersions, ion-exchange treatment of (3) C83
activity, effect on liquid-phase sintering of N ceramics (5) C124
powder, sintering (6) 320
wafers, stress rate and proof testing (2) C54
Silicon carbide,
with BaO and C additions, hot-pressing of (8) C191
CVD, from Si-C-Cl-H gas systems, thermodynamic analysis (4) 185
α-, densification and properties (10) 269
sintered, hot corrosion of (8) 432
sintering, statistical evaluation (7) C178
β-, sintering and microstructure formation (9) 479
containing BeO, effect of impurity and carrier concentrations on properties (1) C16
powder, shock consolidation of (12) C322
sintered, exposed to basic coal slags, corrosion mechanisms (4) 191
hot-pressed, Auger analysis of (1) C7
strength, time-dependent, under stress (3) 143
stress in, residual, measurement of (2) C67
welding, feasibility study (6) C151
whiskers, in $MoSi_2$ matrix, feasibility of a composite of (8) C200
effect of impurities on morphology (6) C142
Silicon dioxide,
D^+ ion implantation, comparison with thermal D_2 doping (3) 151
glass, Ge-doped, thermodynamic stability and incorporation of P into (6) 359
concentration dependence of diffusion coeff. of water in (9) C251
crack-tip geometry—further comment (10) C288
Silicon nitride,
α/β phase conversion in, effect of N (9) C226
hot-pressed, fabrication with metal nitride additives (2) C38
mechanical properties (4) C99
mixed-mode fracture (6) 348
joined, mechanical properties (9) 468
joining (9) 472
and metal surface, interaction between (1) C30
reaction-bonded, Y_2O_3-doped sintered, fracture of (7) 413
consolidated by HIP, microstructure (8) C217
sintered, with rare-earth oxide additions, oxidation of (7) C160
synthesis, with emphasis on Si-S-N chemistry (12) 699
thickness, effect on direct bonding to steel (12) C334
Silver,
Pd in presence of, oxidation and reduction (4) C106
Sintering,
α-SiC, statistical evaluation of (7) C178
aluminas, doped with Ti^{4+}, phase studies (6) C156
β-SiC (9) 479
of boehmite sol-gel, by α-Al_2O_3 seeding (9) 500
composites, Al_2O_3-SiO_2 (3) C76
experimental, of porous gels (7) 399
films, constrained by rigid substrate (6) 287
intermediate-stage, of homogeneously packed compact—comment (10) C290
of homogeneously packed compact—reply (10) C290
isothermal, of spherical cordierite-type glass powders (12) C328
liquid-phase, of N ceramics, effect of Si activity (5) C124
of thick-film resistors (8) C215
mullite, nonstoichiometric (1) C6
particles, with anisotropic surface energies, driving force for (10) C267
powders, ultrafine Si (6) 320
temp., structural dependence of PZT solid solutions on (10) 533
viscous, on rigid substrate (4) 216
Slags,
coal, basic, corrosion of sintered SiC exposed to (4) 191
Slip,
casting, of partially stabilized ZrO_2, effect of milling on (10) C264
Sodium,
Na_2CO_3, reaction with SiO_2 sand (6) 337
diffusion, in Na aluminophosphate glasses (7) C181
titantes, alkali oxide rich (10) C266
transport, in Na_2O-H_3O-SiO_2 glass system (3) 165
Solids,
brittle, fracture in presence of thermoelastic stresses—comment (12) C335
fracture in presence of thermoelastic stresses—reply (12) C338
Solubility,
of BaO, in $BaTiO_3$ (7) 372
Solutions,
solid, $(Ba,Pb)(Zr,Ti)O_3$, synthesis of (8) C204
$Hf_{1-x}Zr_xO_2$, with orthorhombic symmetry, synthesis of (9) C237
($Mg_{1-x}Fe_x$) and ($Mg_{1-x}Co_x$), O sensors based on (12) 657
PZT, structural dependence on sintering temp. (10) 533
demixing, under chemical potential gradients (1) 1
dilute, kinetics of precipitation from (1) C11
Sound,
ultra-, characteristics, of piezoelectric ceramics (6) C146
wave velocity, of PZT transducers doped with Ta and La (12) C317
Spectra,
Raman, of rare-earth fluoride glasses (4) C92
fluorescence, of Eu^{3+}-doped Na borate glasses (10) 515
optical absorption, of Cl-associated defect centers in irradiated ZrF_4-based glass (10) C279
Spectrometry,
secondary-ion mass, interpretation of analysis of silicate glasses by (5) C134
Spectroscopy,
Raman, phase characterization of PSZ by (8) C184
secondary-ion mass, suppression of insulator charging (10) C286
Spheres,
hollow, mechanical properties of lightweight ceramics based on (7) 395
mechanical properties of lightweight ceramics produced by sintering (7) 403
Spinels,
Al oxynitride, high-temp. electrical conductivity in (8) C210
$MgO·2Al_2O_3$, fine-grained, superplastic deformation in (10) 522
ferro-, structures and textures, classification of (1) C2
surface layers, diffusion of ^{51}Cr in (4) 181
Spinodal,
equation, eigensolution of (8) C208
Stability,
of AlN, coexisting with Group VIII transition metals (12) C329
of ZnO, metal-oxide-doped, in molten alkali carbonates (8) 456
meta-, of tetragonal ZrO_2 powders (3) 135
of pore channels (1) C14
thermodynamic, of $UMoO_6$ (5) 232
and incorporation of P into Ge-doped SiO_2 glass (6) 359
Stabilization,
of tetragonal phase, in ZrO_2, effect of densification conditions (9) C242
Steels,
bonding of Si_3N_4 to, effect of Si_3N_4 thickness (12) C334
Strength,
of brittle materials, evaulation by thermal stress testing (7) 363
of ceramics, effect of crack size (11) 604
of composites, hot-pressed Al_2C_3 and Y_2O_3-PSZ (1) C4
hot-pressed TiB_2-ZrO_2 (2) C34
of compositions, ceramic-fiber/ceramic-matrix (5) 225
of fibers, optical, effect of moist NH_3 on (4) C90
test for (8) C202
flexural, of reaction-bonded, Y_2O_3-doped Si_3N_4 (7) 413
fracture, of Al_2O_3-diamond composites, effects of heat treatment (2) C36
estimates for a glass-ceramic (10) C282
of indented Na_2O-CaO glass, effect of contact residual stress relaxation (11) 632
measured by chevron-notch diametral-compression test (12) C325
of partially stabilized ZrO_2/β-Al_2O_3 composites (10) C277
of piezoelectric ceramics, anisotropy of (5) 259
of sintered diamond/Si_3N_4 composites (10) 271
of glass fibers, optical, containing microindentation flaws (11) 563
of glass-ceramics, effect of crystallites (3) 112
of glasses, sharp vs blunt crack hypotheses (1) 25
high-temp., of Y_2O_3-PSZ/Al_2O_3 composites (2) C56
maximum, of ZrO_2-toughened ceramics (4) C97
-microstructure properties, in ceramics (11) 616
recovery, in degraded Y_2O_3-doped tetragonal ZrO_2 (8) C213
Strengthening,
transformation, in composites containing dicalcium silicates (9) C259
Stresses,
applied, effect on kinetics of ion exchange in glass (7) C165
in glass, leached phase separated (8) 419
in glass seals, Dumet- (3) 127
rate, of Si wafers (2) C54
residual, in Al_2O_3 and SiC, measurement of (2) C67
in metal/ceramic bonded strips (5) 241
in metal/ceramic systems for microelectronic packaging (3) 120
Strontium,
$SrTiO_3$, capacitors, microstructure and electrical properties (4) 169
Structure,
of PZT, dependence on sintering temp. (10) 533
of ZrO_2, at high temp. (1) 34
chemical, of modification of Y_2GeO_5 (4) C110
crystal, of ZrO_2 and HfO_2, XRD study (10) C285
deformation, in ZrO_2, cathodoluminescence study (8) C196
of glasses, La borate, effect of R^{3+} ions(12) 641
micro-, of Si_3N_4, reaction-bonded (8) C217
of Synroc C and E, by electron microscopy (2) 64
of capacitors, Na- and K-diffused $SrTiO_3$ exhibiting varisotr behavior (11) C300
of capacitors, $SrTiO_3$ (4) 169
evolution, in ZrO_2-12 wt% Y_2O_3 (8) 427
of gels, TiO_2 (2) C41
solidification, of laser-melted Al_2O_3 powder compacts(5) C114
-strength properties, in ceramics (11) 604; (11) 616
-property relations, in lanthanide borate glasses (7) 368
super-, β-phase based, in Bi_2O_3 doped with PbF, (9) C220
Substrates,
rigid, sintering behavior of films constrained by (6) 287
viscous sintering on (4) 216
Surface,
of MgO, and CaO, segregation of isovalent impurity cations at (2) 74
tension, of Al_2O_3-containing liquids (2) 81
voids, elimination of (6) 342
Swelling,
of Al_2O_3, hot-pressed (11) 591
Synroc,
C and E, microstructure, by electron microscopy (2) 64
Synthesis,
of $Hf_{1-x}Zr_xO_2$, with orthorhombic symmetry (9) C237
of Si_3N_4, with emphasis of Si-S-N chemistry (12) 699
of ZrO_2, orthorhombic phase (12) C314
of glasses, oxynitride, suppression of frothing by Si addition (7) C168
self-propagating, intrinsic volume changes of (5) C122
sol-gel, improvement of crystallinity of $KZr_2P_3O_{12}$ by (9) C224
of solid solutions, $(Ba,Pb)(Zr,Ti)O_3$ (8) C204
Systems,
Al_2O_3-CaO, subeutectic densification and second-phase formation in (7) 385
Al_2O_3-Nd_2O_3, phase diagram (3) 105
Al_2O_3-SiO_2, phases in—comment (3) C85
phases in—reply (3) C85
La_2O_3-Al_2O_3, new compound in (2) C44
Li_2O-Na_2O-Al_2O_3-SiO_2, phase equilibrium (2) C48
LiAlSiO$_4$-NaAlSiO$_4$-SiO_2, phase equilibria (2) C46
MnO-NiO, thermodynamic assessment (8) 444
Sc_2O_3-WO$_3$ (2) C68
Ti-6Al-4V, reaction with B (5) C136
Tantalates,
$BaZn_{1/3}Ta_{2/3}O_3$, microwave loss quality of (10) 546
β-Ta_2O_5, Nb_2O_5-doped, conductivity in (12) 651
defects and charge transport in (12) 646
nominally pure, conductivity in (12) 646

Tantalum,
β-Ta_2O_5, defects and charge transport in (12) 646
Temperature,
PTCR, in $BaTiO_3$ (10) 555
crystallization, in diphasic Al_2O_3-MgO xerogels, lowering by seeding (9) C238
transition, glass, at rapid heating rates (2) C58
Tension,
surface, of Al_2O_3-containing liquids (2) 81
Testing,
proof, of Si wafers (2) C54
thermal stress, evaluation of reliability of brittle materials by (7) 363
Tests,
bend, static, determination of v-K_I curves from lifetime measurement (8) C213
bending, damage analysis of creep in (9) 483
diametral-compression, chevron-notch, fracture toughness measured by (12) C325
fiber, of single-filament materials (8) C202
fracture, with four-point-bend chevron-notched specimens, theory for load-relaxation technique (8) 439
indentation fracture, effect of cyclic tangential loads (9) 505
laser-flash, for thermal diffusivity (1) C12
Thermal properties,
diffusivity, laser-flash method for determining (1) C12
expansion, of mixed-alkali Na-K borate glasses (9) 463
of single-crystal ZrO_2 (9) C228
resistance, to plastic yielding, of TiB_2 (3) C78
spalling, of flat plates, by thermal shock (4) C111
Thermodynamics,
of Ce oxalate and Ce oxide (8) C206
cation distribution, in Fe_2O_3-$FeAl_2O_4$ (3) C74
displays, of gas-solid reactions, application to oxidation of metals and evaporation of oxides (2) 49
system, MnO-NiO (8) 444
Thickness,
of Si_3N_4, effect on direct bonding to steel (12) C334
Tin,
molten, equilibrium with Na_2O-CaO glass, effect of atm and temp. (8) C195
Titanates,
$BaTi_4O_9$, $Ba_4Ti_{13}O_{30}$, and $Ba_4Ti_{13}O_{40}$, temp.-dependent phase boundaries for (2) C70
Na, alkali oxide rich (10) C266
crystalline, nuclear waste forms, leaching and radiation damage (6) 330
potassium, fibers, growth in flowing N_2 gas (11) C308
Titanium dioxide,
gels, microstructure and new method for making (2) C41
particles, effect of additives on formation by vapor phase reaction (6) C154
Titanium,
TiB_2, exposed to liquid Al, role of microstructure and intergranular phases in stress corrosion (11) C309
resistance to high-temp. plastic yielding (3) C78
Transducers,
PZT, doped with Ta and La, elastic properties and sound wave velocity of (12) C317
Transformations,
in Y_2O_3-doped ZrO_2, tetragonal, by annealing in water (6) 356
of $YNbO_4$, distorted tetragonal (10) C275
of ZrO_2, Y_2O_3-doped tetragonal polycrystals, by annealing (12) C320
α/β phase, in Si_3N_4, effect of N (9) C226
of boehmite sol-gel, by α-Al_2O_3 seeding (9) 500
$\gamma \rightarrow \alpha$, in spherical Al_2O_3 powders (7) C163
phase, grain-boundary, during aging of PSZ (4) 197
range, of Li galliosilicate glasses (6) 326
-range behavior, of Li_2O-$(Al,Ga)_2O_3$-SiO_2 glasses (9) C232
Transitions,
temp., free vol. of metaphosphate glasses at (5) C120
Transmission,
microwave, of hexagonal BN (3) 131
Transport,
in Al_2O_3 scale, determination of (6) 307
Na, in Na_2O-H_2O-SiO_2 glass system (3) 165
Pb ion, in PbO-SiO_2 melts, p_{O_2} dependence (4) C104
charge, in β-Ta_2O_5 (12) 646; (12) 651
properties, of oxide scales, procedure for determining (6) 302
Tungsten,
WC-Co, Palmqvist crack extension in (2) C51
Uranium,
$UMoO_4$, thermodynamic stability (5) 232
Viscosity,
of glasses, Na-K borate (9) 463
Volume,
changes, intrinsic, of self-propagating synthesis (5) C122
free, of metaphosphate glasses at transition temp. (5) C120
Wafers,
Si, stress rate and proof testing of (2) C54
Wastes,
nuclear, with high ZnO_2 content, crystalline-phase formation by pressing (3) 159
with high ZnO_2 content, crystalline phase formation by pressing—correction (7) 418.
simulated glass for, ferrous/ferric Mossbauer analysis (12) 691
titanate forms for (6) 330
Water,
reaction with heavy-metal fluoride glass, surface -OH profile (7) C171
Welding,
SiC, feasibility of (6) C151
Yttrium,
Y_2GeO_5, metastable modification of (4) C110
in α-Al_2O_3, microscopy of chemical state (11) 559
Zinc,
$ZnAl_2O_4$, formation, effect of nature of powders and firing atm (2) 58
ZnO, metal-oxide-doped, stability in molten alkali carbonates (8) 456
hemispheres, formation from mixed-nitrate glassmelt (12) C315
Zirconium dioxide,
-12 wt% Y_2O_3, microstructural evolution (8) 427
-Al_2O_3 powders, by Zr alkoxide hydrolysis (2) C60
CaO-stabilized, grain growth in presence of liquid phase (3) C80
PSZ, grain-boundary phase transformations during aging (4) 197
phase characterization, by Raman spectroscopy (8) C184
Y_2O_3-PSZ, interfacial reactions with β-Al_2O_3 (7) C176
Y_2O_3-doped, tetragonal degraded, strength recovery in (8) C213
tetragonal, transformation by annealing in water (6) 356
/β-Al_2O_3 composites, resistance to fracture (10) C277
crystal structures, XRD data (10) C285
equation-of-state calculations, parameter-free (5) 278
orthorhombic phase, synthesis of (12) C314
partially stabilized, effect of milling on slip casting (10) C264
phase diagram of, pressure-temp. (9) 497
phase distributions and deformation structures, cathodoluminescence study (8) C196
polycrystals, effect of densification on stabilization of tetragonal phase (9) C242
powder, tetragonal, metastability of (3) 135
single-crystal, thermal expansion behavior (9) C228
structure and ionic mobility, at high temp. (1) 34
tetragonal polycrystals, Y_2O_3-doped, transformation by annealing (12) C320
toughened, ceramics, limitation of max. strength (4) C97